



Creation Tiles & planks

Creation 70



PUR+ MATT



Easy maintenance

4D DESIGN

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED EMBOSS & BEVEL



Ultra realistic surface

DESIGNS



Wide variety of planks or tiles

RESILIENT COMFORT CORE



Noise absorption



Soft underfoot

DIAMOND BACKLAYER

BODY & STRENGTH



Easy handling

BACK EMBOSS

Better subfloor adhesion



Easy positioning

Creation Tiles & planks decoratives strips

Format (mm) 4×914mm



Code: 3203 + Color code



100% recyclable
Up to 35% recycled content



TVOC emissions below
detection level
(TVOC < 10µg/m³ after 28 days)
No formaldehyde

Formats (mm)

228×914

184×1219

208×1243

230×1500

152×914
76×914
228×914

457×914

610×610

914×914

305×914
152×914
457×914

PUR+ Matt

Glue down

Creation 70

Creation 70 Design is a synthetic, decorative, flexible, antistatic abrasion group T floorcovering available in tile or plank, with beveled edges. It consists in a 0.70 mm thick transparent wear layer, a design film and a Resilient Comfort Core to provide softness and comfort surface. The overall thickness is 2.5 mm. It benefits from a cross-linked polyurethane surface treatment (**PUR+ Matt**), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Design is a glued floorcovering, resistant to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1. **Creation 70 Design** is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH compliant. **The product emission rate of organic compounds is < 10 microgram/m³** (TVOC < 28 days – ISO 16000-6).




Creation 70											
Creation 70 Design											Creation 70
Description											
Total thickness	EN ISO 24346	mm	2.50								2.50
Thickness of wearlayer	EN ISO 24340	mm	0.70								0.70
Weight	EN ISO 23997	g/sqm	4100								3960
Size	EN ISO 24342	mm	184×1219	230×1500	Mix planks 76/152/ 228×914	610×610	914×914	457×914	228×914	Mix tiles 152/305/ 457×914	208×1243
Number of planks / tiles and sqm per box	-	-	14 ⁽¹⁾ / 15 3.14 / 3.36	9 / 3.11	8+8+8 / 3.34 m	9 / 3.35	5 / 4.18	9 / 3.76	17 / 3.54	4+4+4 / 3.34	14 / 3.62
Classification											
Norm / Product specification	-	-	EN ISO 10582								EN ISO 10582
European classification	EN ISO 10874	class	34-43								34-43
Fire rating	EN 13501-1	class	Bfl-s1								Bfl-s1
Static electrical propensity	EN 1815	kV	< 2								< 2
Slip resistance wet ⁽²⁾	EN 16165:2021 – Appendix B (DIN 51 130)	class	R10								R10
Performances											
Wear resistance	EN 660.2	mm ³	≤ 2.0								≤ 2.0
Wear group	-	group	T								T
Type Binder content	ISO 10582	type	I								I
Room impact	NF S 31074	dB	76								76
Sound Insulation	EN ISO 717-2	dB	4								4
Dimensional stability (norm)	EN ISO 23999	%	≤ 0.25								≤ 0.25
Dimensional stability (average measured value)	-	%	≤ 0.10								≤ 0.10
Residual indentation	EN ISO 24343-1	mm	≤ 0.10								≤ 0.10
Castor chair test (type H)	ISO 4918	-	OK								OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25								0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6								≥ 6
Surface treatment	-	-	PUR+ Matt								PUR+ Matt
Chemical products resistance	EN ISO 26987	-	OK								OK
Environment / indoor air quality											
TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10								< 10
CE marking											
			EN 14041								

(1) Regimental Picadilly 0807
(2) Ramp test with oil

Creation Tiles & planks

Creation 70 Clic



PUR+ MATT



Easy maintenance

4D DESIGN

MATT SURFACE



Natural look

CRYSTAL WEAR LAYER



High definition design & color

STRUCTURED EMBOSS & BEVEL



Ultra realistic surface

2 M PATTERN DESIGN

Wide variety of planks or tiles

DUOCORE TECHNOLOGY

RESILIENT COMFORT CORE



Noise absorption



Soft underfoot

RIGID CORE WITH FIBER GLASS VEIL



The best stability



No adhesive



Renovation ceramic 4 mm joint

CLIC REVOLUTION 100 % VERTICAL



30% Faster



Durable clic system



Heavy load resistance



Waterproof joints



Easy to change a plank



100% Reach Phthalate free



100% Recyclable Up to 55% recycled content



TVOC emissions below detection level (TVOC < 10µg/m³ after 28 days) No formaldehyde

Formats (mm) 212x1239 242x1461 391x729 | PUR+ Matt



Creation 70 Clic

Creation 70 Clic is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles and planks, with bevelled edges. It consists in a 0.70 mm thick transparent wear layer, a design film of 2 m width to have more variety in the design and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The overall thickness is 6 mm. They benefit from a cross-linked polyurethane surface treatment (PUR+ Matt), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Clic is an interlocking floorcovering assembled with a vertical system on the long and short side for a quick and solid installation. The resistance to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has Bfl -s1 class for smoke emission according to EN 13501-1. Creation 70 Clic is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 55% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

To be combined with Gerflor acoustic underlayers

Gerflor Acoustic 15dB



Code: 1798 - Format: 1m x 15ml

Please refer to Gerflor's installation guidelines.

Romus Tools

Anti-bounce mallet / Fitter Knife - Creation Tiles & planks Roller



Creation 70 Clic

Description					
Total thickness	EN ISO 24346	mm	6		
Thickness of wearlayer	EN ISO 24340	mm	0.70		
Weight	EN ISO 23997	g/sqm	9850		
Size	EN ISO 24342	mm	214 × 1239	242 × 1461	391 × 729
Number of planks / tiles and sqm per box	-	-	6 / 1.59	5 / 1.77	5 / 1.43
Classification					
Norm / Product specification	-	-	EN ISO 10582		
European classification	EN ISO 10874	class	34-43		
Fire rating	EN 13501-1	class	Bfl-s1		
Static electrical propensity	EN 1815	kV	< 2		
Slip resistance wet: ramp test with oil	EN 16165:2021 – Appendix B (DIN 51 130)	class	R10		
Performances					
Wear resistance	EN 660.2	mm³	≤ 2.0		
Wear group	-	group	T		
Type Binder content	ISO 10582	type	I		
Dimensional stability (norm)	EN ISO 23999	%	≤ 0.15		
Dimensional stability (average measured value)	-	%	≤ 0.05		
Residual indentation	EN ISO 24343-1	mm	≤ 0.10		
Impact sound insulation	EN ISO 717-2	dB	5		
Room impact	NF S 31074	dB	78		
Castor chair test (type H)	ISO 4918	-	OK		
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25		
Colour fastness	EN ISO 105-B02	degree	≥ 6		
Surface treatment	-	-	PUR+ Matt		
Chemical products resistance	EN ISO 26987	-	OK		
Environment / indoor air quality					
TVOC after 28 days	ISO 16000-6	microgram/m³	< 10		
CE marking					




EN 14041



Creation Tiles & planks

Creation 70 Looselay New



PROTECSHIELD™ 4D DESIGN



Easy maintenance

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED EMOSS & BEVEL



Ultra realistic surface

MIX&MATCH DESIGNS



Easy mix&match of designs & formats

DUOCORE TECHNOLOGY

RESILIENT COMFORT CORE



Noise absorption



Soft underfoot

RIGID CORE



The best stability / Fiber glass inside



Renovation ceramic < 5 mm joint

GRIP-WAVE BACKLAYER

ANTI-SKID BACKING



Super strong suction to the subfloor

Air circulation: better acoustic

Humidity circulation: moisture resistance



Easily removable: renovation



100% Reach Phthalate free



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 10µg/m³ after 28 days) No formaldehyde

Formats (mm)

235x1505 XL


229x1220

152x914

600x600

914x914 XL

Protecshield™




Creation 70 Looselay

Creation 70 Looselay is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles and planks, with bevelled edges. It consists in a 0.70 mm thick transparent wear layer, a design film and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The overall thickness is 6 mm. It also includes anti-skid backing to allow an easy installation. It benefits from a cross-linked polyurethane surface treatment (**PUR+ Matt**), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Looselay is a looselay floorcovering, resistant to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1.
Creation 70 Looselay is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH compliant.
The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

Explore the world of possibilities



Quick & easy to install



Installation with tackifier
Please refer to Gerflor's installation guidelines.

Apply planks or tiles

Pressure roller

Easy to replace a plank

Creation 70 Looselay

Description			
Total thickness	EN ISO 24346	mm	5.00
Thickness of wearlayer	EN ISO 24340	mm	0.70
Weight	EN ISO 23997	g/sqm	8300
Size	EN ISO 24342	mm	235x1505 228.6x1220 152.4x914.4 600x600 914.4x914.4
Number of planks / tiles and sqm per box	-	-	4 / 1.41 sqm 6 / 1.67 sqm 12 / 1.67 sqm 4 / 1.44 sqm 4 / 3.34 sqm
Classification			
Norm / Product specification	-	-	EN ISO 10582
European classification	EN ISO 10874	class	34-43
Fire rating	EN 13501-1	class	Bfl-s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance wet: ramp test with oil	EN 16165:2021 – Appendix B (DIN 51 130)	class	R10
Performances			
Wear resistance	EN 660.2	mm³	≤ 2.0
Wear group	-	group	T
Type Binder content	ISO 10582	type	I
Room impact	NF S 31074	dB	74
Impact sound insulation	EN ISO 717-2	dB	7
Dimensional stability (norm)	EN ISO 23999	%	≤ 0.15
Dimensional stability (average measured value)	-	%	≈ 0.05
Residual indentation	EN ISO 24343-1	mm	≤ 0.10
Castor chair test (type H)	ISO 4918	-	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6
Surface treatment	-	-	ProtecShield™
Chemical products resistance	EN ISO 26987	-	OK
Environment / indoor air quality			
TVOC after 28 days	ISO 16000-6	microgram/m³	< 10
CE marking			




EN 14041



Creation Tiles & planks

Creation 70 Connect



PUR+ MATT



Easy maintenance

4D DESIGN

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED EMBOSS



Ultra realistic surface

DESIGNS

Designs selected to hide dovetails - all over effect

RESILIENT REINFORCED CORE



Glass particles for better stability



Noise absorption



Soft underfoot



Renovation ceramic 5 mm joint

EXCLUSIVE DOVETAILS



Gerflor patented



No adhesive



Easy installation



Avoid mistakes installation



Resistant dovetails

Formats (mm)



PUR+ Matt



Interlocking

Creation 70 Connect

Creation 70 Connect is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles. It consists in a 0.70 mm thick transparent wear layer, a design film, a calendered layer and a PVC compact sublayer reinforced with fibers. The overall thickness is 5 mm. It benefits from a cross-linked polyurethane surface treatment (**PUR+ Matt**), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Connect is an interlocking floorcovering, resistant to use (commercial / industrial use of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1. **Creation 70 Connect** is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 55% of recycled content. It is REACH compliant. **The product emission rate of organic compounds is < 10 microgram/m³** (TVOC < 28 days – ISO 16000-6).



Interlocking installation with dovetails



Fast and easy renovation



Adhesive free



All over effect



Creation 70 Connect

Description			
Total thickness	EN ISO 24346	mm	5.00
Thickness of wearlayer	EN ISO 24340	mm	0.70
Weight	EN ISO 23997	g/sqm	8235
Tile size	EN ISO 24342	mm	701.3 x 701.3
Number of tiles and sqm per box	-	-	20 / 9.83
Classification			
Norm / Product specification	-	-	EN ISO 10582
European classification	EN ISO 10874	class	34-43
Fire rating	EN 13501-1	class	Bfl-s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance wet ⁽¹⁾	EN 16165:2021 – Appendix B (DIN 51 130)	class	R10
Performances			
Wear resistance	EN 660.2	mm³	≤ 2.0
Wear group	-	group	T
Type Binder content	ISO 10582	group	I
Room impact	NF-S 31074	dB	75
Impact sound insulation	EN ISO 717-2	dB	5
Dimensional stability	EN ISO 23999	%	≤ 0.15
Residual indentation	EN ISO 24343-1	mm	≤ 0.10
Castor chair test (type H)	ISO 4918	-	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6
Surface treatment	-	-	PUR+ Matt
Chemical products resistance	EN ISO 26987	-	OK
Environment / indoor air quality			
TVOC after 28 days	ISO 16000-6	microgram/m³	< 10
CE marking			



EN 14041



(1) Ramp test with oil


Creation Tiles & planks

Creation 70 Looselay HB


LL
Creation 70
Looselay



Marble Clear / Marble Dark




Marble Clear 1569 **New**
LL 152 x 914




Marble Dark 1570 **New**
LL 152 x 914



Tamo Light 1559 **New**
LL 152 x 914



Tamo Clear 1567 **New**
LL 152 x 914



Tamo Light Brown 1568 **New**
LL 152 x 914



Marble Clear / Tamo Clear

Creation Tiles & planks

Creation 70

DB
Creation 70
(Dry Back)

CLIC
Creation 70 Clic




Cervino Oak Cold Grey 1187
DB 230 × 1500



Travertino Grey 1189
DB 228 × 914



Onka Pearl 1056
DB 230 × 1500 | **CLIC** 242 × 1461



Grace Bay Black 1050
DB 208 × 1243 | **CLIC** 214 × 1239



Muse Smocked 1051
DB 208 × 1243 | **CLIC** 214 × 1239



Toasted Wood Ash 1053
DB 230 × 1500 | **CLIC** 242 × 1461



Muse Smocked / East Village




Toasted Wood Cafe



Wild Oak 0359
DB 208 × 1243 | **CLIC** 214 × 1239



Toasted Wood Roadster 0800
DB 230 × 1500 | **CLIC** 242 × 1461



Toasted Wood Cafe 0799
DB 230 × 1500 | **CLIC** 242 × 1461



Onka Coffee 1057
DB 230 × 1500 | **CLIC** 242 × 1461

Creation Tiles & planks

Creation 70

DB
Creation 70
(Dry Back)

CLIC
Creation 70 Clic

LL
Creation 70
Looselay



Onka Natural 1055
DB 230 × 1500 | CLIC 242 × 1461



Muse Sand 1052
DB 208 × 1243 | CLIC 214 × 1239



Namou Light Honey 1578 **New**
LL 235×1505



Onka Honey 1054
DB 230 × 1500 | CLIC 242 × 1461 | LL 229 × 1220



Clifton Honey 1190
DB 208 × 1243



Namou Honey 1579 **New**
LL 235×1505



Serena 0545
DB 208 × 1243 | CLIC 214 × 1239



Albion 0577
DB 208 × 1243 | CLIC 214 × 1239



Namou Dark Honey 1580 **New**
LL 235×1505



Diesel Nala 1075
DB 230 × 1500



Clifton Chestnut 1191
DB MIX : 152 × 914 / 76 × 914 / 228 × 914



Diesel Burnt 1074
DB 230 × 1500



Deep Forest 0360
DB 208 × 1243 | CLIC 214 × 1239



Diesel Nala

Creation
Tiles & planks

Creation Tiles & planks

Creation 70



Tamo Light 1559 **New**
LL 229 × 1220 / 152 × 914



Tamo Dainty 1560 **New**
LL 229 × 1220



Tamo Clear 1567 **New**
LL 229 × 1220 / 152 × 914



Tamo Natural 1561 **New**
LL 229 × 1220



Tamo Light Brown 1568 **New**
LL 229 × 1220 / 152 × 914



Tamo Light / Marble Dark

DB Creation 70 (Dry Back)
CLIC Creation 70 Clic
LL Creation 70 Looselay
CO Creation 70 Connect



Silversands 0324
DB 208 × 1243



Limed Oak 0329
DB 208 × 1243



Midwest 0538
DB 208 × 1243 | CLIC 214 × 1239



Cervino Oak Beige 0797
DB 230 × 1500 | CLIC 242 × 1461



Oak Light 0090
CO 701,3 × 701,3




Cervino Oak Nature 0798
DB 230 × 1500 | CLIC 242 × 1461




Oak Golden 1492
CO 701,3 × 701,3



Cervino Oak Honey Clear 1186
DB 230 × 1500



Douglas 0535
DB 208 × 1243



Clifton 0556
DB MIX : 152 × 914 / 76 × 914 / 228 × 914

Creation Tiles & planks

Creation 70

DB
Creation 70
(Dry Back)

CLIC
Creation 70 Clic

LL
Creation 70
Looselay

CO
Creation 70
Connect



Clifton Grey 1192
DB 208 × 1243



Travertino Beige 1188
DB 228 × 914



Twist 0504 **New**
LL 229 × 1220



Grace Bay Cream 1049
DB 208 × 1243



Arena 0060 **New**
LL 229 × 1220




Long Board 0455 **New**
LL 229 × 1220



Solid Glam Picadilly 0803
DB 184 × 1219



Denim Wood 0356
DB 208 × 1243



Moon Island 0358
DB 208 × 1243 | CLIC 214 × 1239




Regimental Picadilly 0807
DB 184 × 1219



Portobello 0357
DB 208 × 1243 | CLIC 214 × 1239



Osb Natural 0091
CO 701,3 × 701,3



Solid Glam Picadilly / Regimental Picadilly



Ranch 0456 **New**
LL 229 × 1220



Long Board

Creation
Tiles & planks

Creation Tiles & planks


Creation 70



Gentleman Tweed / Diesel Nala



Gentleman Taupe 1083
DB 228 × 914 | CO 701,3 × 701,3




Tatami Smoked 1079
DB 610 × 610



Prado Terracotta 1065
DB 457 × 914 | CLIC 391 × 729



Gentleman Tweed 1076
DB 228 × 914



Oxyd Pure 0088
DB 457 × 914 | CLIC 391 × 729



Tatami Savane


DB Creation 70 (Dry Back) CLIC Creation 70 Clic LL Creation 70 Looselay CO Creation 70 Connect




Pure Concrete Beige 1063
DB 914 × 914 | CLIC 391 × 729



Rough Textile Beige 0062
CO 701,3 × 701,3




Tatami Savane 1077
DB 610 × 610



Tatami Raffia 1078
DB 610 × 610

Creation 70

Creation Tiles & planks



Creation Tiles & planks

Creation 70

DB
Creation 70
(Dry Back)

CLIC
Creation 70 Clic

LL
Creation 70
Looselay

CO
Creation 70
Connect



Pure Concrete Light 1060
DB 914 × 914 | CLIC 391 × 729




Secret Garden White 1059
DB 457 × 914 | CLIC 391 × 729



Etna Beige 1068
DB 457 × 914 / MIX : 152 × 914 / 305 × 914 / 457 × 914 (on demand)
CLIC 391 × 729



Dock Taupe 0087
DB 457 × 914 | CLIC 391 × 729 | CO 701,3 × 701,3 (0089)




Dalma Burgundy 1089
CO 701,3 × 701,3




Marble Clear 1569 **New**
LL 914 × 914 / 152 × 914



Urban Street Light 1283 **New**
LL 914 × 914



Stony Medium 1576 **New**
LL 600 × 600



Stony Cream 1575 **New**
LL 600 × 600



Creation Tiles & planks

Creation 70


DB Creation 70 (Dry Back)
CLIC Creation 70 Clic
LL Creation 70 Looselay
CO Creation 70 Connect



Dalma Grey



Urban Street Medium 1284 **New**
LL 914 × 914



Marble Dark 1570 **New**
LL 914 × 914 / 152 × 914



Urban Street Dark 1577 **New**
LL 914 × 914



Pure Concrete Medium 1061
DB 914 × 914 | CLIC 391 × 729



Rough Textile Grey 0063
CO 701,3 × 701,3




Dock Grey 0085
DB 457 × 914 | CLIC 391 × 729 | LL 914 × 914 | CO 701,3 × 701,3



Carassi 0561
DB 228 × 914




Oxyd Iron 0089
DB 457 × 914 | CLIC 391 × 729




Dalma Grey 1088
CO 701,3 × 701,3




East Village 0522
DB 610 × 610



Halifax 0531
DB 610 × 610



Etna Dark 1069
DB 457 × 914 | CLIC 391 × 729



Pure Concrete Dark 1062
DB 914 × 914 | CLIC 391 × 729

Creation
Tiles & planks

Creation Tiles & planks

Creation 70


DB
Creation 70
(Dry Back)

CLIC
Creation 70 Clic

CO
Creation 70
Connect



Terrazzo Nature



Terrazzo Nature* 1067
DB 914 × 914



Terrazzo Ocre* 1066
DB 914 × 914



Gentleman Grey /
Gentleman Garance /
Gentleman Peppermint



Gentleman Garance 1080
DB 610 × 610




Gentleman Indigo 1081
DB 610 × 610



Gentleman Peppermint 1082
DB 610 × 610



Gentleman Grey 1058
DB 610 × 610 | CLIC 391 × 729 | CO 701,3 × 701,3 (0088)



Prado Green 1064
DB 457 × 914 | CLIC 391 × 729

Creation Tiles & planks

Creation 70

		Dry Back	Clic	Looselay	Connect	Skirting Matching Design	Emboss	NCS	LRV
									
Code	Color Design								
0085	Dock Grey	457×914	391×729	914×914	701.3×701.3	S111	Hammered	6500-N	201
0087	Dock Taupe	457×914	391×729	-	701.3×701.3	S020	Hammered	6005-Y50R	19.2
1058	Gentleman Grey	610×610	391×729	-	701.3×701.3 (0088)	Blanc	Textile	7500-N	12.7
0538	Midwest	208×1243	214×1239	-	-	S039	Natural	3010-Y30R	38.9
0358	Moon Island	208×1243	214×1239	-	-	S034	Brushed	4010-Y30R	24.8
1054	Onka Honey	230×1500	242×1461	-	-	S121	Natural	4020-Y40R	26.6
0357	Portobello	208×1243	214×1239	-	-	S053	Brushed	5005-Y50R	23.5
1062	Pure Concrete Dark	914×914	391×729	-	-	Blanc	Hammered	7500-N	11.1
1060	Pure Concrete Light	914×914	391×729	-	-	Blanc	Hammered	3500-N	39.1
1061	Pure Concrete Medium	914×914	391×729	-	-	Blanc	Hammered	4502-B	28.4
0577	Albion	208×1243	214×1239	-	-	S108	Natural	4020-Y30R	21.8
0797	Cervino Oak Beige	230×1500	242×1461	-	-	S011	Natural	3010-Y30R	40.1
0798	Cervino Oak Nature	230×1500	242×1461	-	-	S109	Natural	5020-Y20R	28.3
0360	Deep Forest	208×1243	214×1239	-	-	S110	Brushed	6010-Y50R	15.8
1068	Etna Beige	MIX 152×914 / 305×914 / 457×914 on demand	391×729	-	-	Blanc	Hammered	4005-Y80R	36.6
1069	Etna Dark	457×914	391×729	-	-	Blanc	Hammered	6502-R	12.9
1050	Grace Bay Black	208×1243	214×1239	-	-	Blanc	Natural	2500-N	32.0
1049	Grace Bay Cream	208×1243	-	-	-	Blanc	Natural	2005-Y80R	49.1
1052	Muse Sand	208×1243	214×1239	-	-	S117	Natural	3010-Y40R	39.4
1051	Muse Smoked	208×1243	214×1239	-	-	S118	Natural	5005-Y80R	21.3
1057	Onka Coffee	230×1500	242×1461	-	-	Blanc	Natural	8005-Y80R	7.0
1055	Onka Natural	230×1500	242×1461	-	-	S122	Natural	3020-Y60R	31.1
1056	Onka Pearl	230×1500	242×1461	-	-	S120	Natural	4005-R20B	32.9
0089	Oxyd Iron	457×914	391×729	-	-	Blanc	Perforated	8000-N	9.4
0088	Oxyd Pure	457×914	391×729	-	-	Blanc	Perforated	6020-Y30R	17.2
1063	Pure Concrete Beige	914×914	391×729	-	-	Blanc	Hammered	4005-Y50R	34.3
1064	Prado Green	457×914	391×729	-	-	Blanc	Stone	7502-G	12.1
1065	Prado Terracotta	457×914	391×729	-	-	Blanc	Stone	4010-Y90R	23.1
1059	Secret Garden White	457×914	391×729	-	-	Blanc	Stone	2502-Y	50.2
0545	Serena	208×1243	214×1239	-	-	S132	Natural	6010-Y30R	16.7
1067	Terrazzo Nature	914×914	-	-	-	Blanc	Stone	2000-N	64.4
1066	Terrazzo Ocre	914×914	-	-	-	Blanc	Stone	2002-Y50R	54.5
1053	Toasted Wood Ash	230×1500	242×1461	-	-	Blanc	Natural	7502-R	10.6
0799	Toasted Wood Cafe	230×1500	242×1461	-	-	Blanc	Natural	8010-Y30R	8.4
0800	Toasted Wood Roadster	230×1500	242×1461	-	-	Blanc	Natural	7010-Y30R	13.6
0359	Wild Oak	208×1243	214×1239	-	-	S075	Brushed	4020-Y30R	26.8
0356	Denim Wood	208×1243	-	-	-	S026	Natural	2502-Y	41.4
1074	Diesel Burnt	230×1500	-	-	-	Blanc	Natural	8010-Y30R	8.1
1075	Diesel Nala	230×1500	-	-	-	Blanc	Natural	5020-Y30R	16.7
1080	Gentleman Garance	610×610	-	-	-	Blanc	Textile	5030-Y90R	13.7
1081	Gentleman Indigo	610×610	-	-	-	Blanc	Textile	5030-R90B	16.3
1082	Gentleman Peppermint	610×610	-	-	-	Blanc	Textile	6020-G	16.3
1083	Gentleman Taupe	228×914	-	-	701.3×701.3 (0089)	Blanc	Textile	5502-Y	21.2
1076	Gentleman Tweed	228×914	-	-	-	Blanc	Textile	6010-Y50R	16.2
1077	Tatami Savane	610×610	-	-	-	Blanc	Stone	3010-Y20R	31.6
1079	Tatami Smoked	610×610	-	-	-	Blanc	Stone	7005-Y20R	12.2
1078	Tatami Raffia	610×610	-	-	-	Blanc	Stone	4020-Y30R	24.4
0561	Carassi	228×914	-	-	-	Blanc	Rib Wood	5502-G	21.7
1187	Cervino Oak Cold Grey	230×1500	-	-	-	Blanc	Natural	3502-R	33.8
1186	Cervino Oak Honey Clear	230×1500	-	-	-	Blanc	Natural	4020-Y30R	27.6
0556	Clifton	Mix 152×914 / 76×914 / 228×914	-	-	-	S144	Natural	5010-Y10R	23.2
1191	Clifton Chesnut	Mix 152×914 / 76×914 / 228×914	-	-	-	Blanc	Natural	4020-Y40R	25.2
1192	Clifton Grey	208×1243	-	-	-	Blanc	Natural	3005-R20B	45.7
1190	Clifton Honey	208×1243	-	-	-	Blanc	Natural	4020-Y40R	24.2
0535	Douglas	208×1243	-	-	-	Blanc	Natural	4005-Y50R	29.1
0522	East Village	610×610	-	-	-	S154	Stone	4502-G	22.0
0531	Halifax	610×610	-	-	-	S032	Stone	6502-Y	16.7
0329	Limed Oak	208×1243	-	-	-	S147	Natural	2010-Y20R	42.0
0807	Regimental Picadilly	184×1219	-	-	-	Blanc	Natural	4005-Y20R	20.6
0324	Silversands	208×1243	-	-	-	S146	Natural	3010-Y20R	33.1
0803	Solid Glam Picadilly	184×1219	-	-	-	Blanc	Natural	5005-Y20R	27.8
1188	Travertino Beige	228×914	-	-	-	Blanc	Stone	3005-Y80R	46.9
1189	Travertino Grey	228×914	-	-	-	Blanc	Stone	3502-B	36.7
1089	Dalma Burgundy	-	-	-	701.3×701.3	Blanc	Hammered	6005-Y80R	24.7
1088	Dalma Grey	-	-	-	701.3×701.3	Blanc	Hammered	7005-R80B	19
1492	Oak Golden	-	-	-	701.3×701.3	Blanc	Natural	4020-Y30R	27.9
0090	Oak Light	-	-	-	701.3×701.3	Blanc	Natural	5500-N	21.1
0091	Osb Natural	-	-	-	701.3×701.3	Blanc	Hammered	5500-N	21.1
0062	Rough Textile Beige	-	-	-	701.3×701.3	Blanc	Textile	5005-Y20R	25.4
0063	Rough Textile Grey	-	-	-	701.3×701.3	Blanc	Textile	5500-N	21.1
0060	Arena	-	-	229×1220	-	S026	Natural	4005-Y20R	37.2
1572	Chips Blue	-	-	600×600	-	-	Hammered	1502-B	62.5
1573	Chips Green	-	-	600×600	-	-	Hammered	1502-G	53.2
1574	Chips Terra	-	-	600×600	-	-	Hammered	1502-Y	64.6
0455	Long Board	-	-	229×1220	-	S034	Brushed	4010-Y30R	24.8
1569	Marble Clear	-	-	914×914 152×914	-	-	Hammered	2000-N	53.8
1570	Marble Dark	-	-	914×914 152×914	-	-	Hammered	7502-R	13.9
1571	Marble Green	-	-	914×914	-	-	Hammered	5010-G10Y	24.6
1580	Namou Dark Honey	-	-	235×1505	-	S008	Natural	4030-Y20R	23.5
1579	Namou Honey	-	-	235×1505	-	S058	Natural	4020-Y20R	33.6
1578	Namou Light Honey	-	-	235×1505	-	S019	Natural	3020-Y20R	34.5
0456	Ranch	-	-	229×1220	-	S053	Brushed	5005-Y50R	23.5
1575	Stony Cream	-	-	600×600	-	S001	Hammered	3502-Y	35.8
1576	Stony Medium	-	-	600×600	-	S001	Hammered	3502-B	38.1
1567	Tamo Clear	-	-	229×1220 152×914	-	S168	Natural	3020-Y20R	33.3
1560	Tamo Dainty	-	-	229×1220 152×914	-	S001	Natural	4020-Y30R	24
1559	Tamo Light	-	-	229×1220 152×914	-	S188	Natural	3010-Y20R	36.6
1568	Tamo Light Brown	-	-	229×1220 152×914	-	S202	Natural	5020-Y30R	17.2
1561	Tamo Natural	-	-	229×1220	-	S016	Natural	4020-Y20R	24.4
0504	Twist	-	-	229×1220	-	S039	Natural	3010-Y30R	38.9
1565	Urban Street Cream	-	-	600×600	-	S178	Hammered	2005-Y20R	50
1577	Urban Street Dark	-	-	914×914	-	S001	Hammered	7500-N	11.1
1283	Urban Street Light	-	-	914×914	-	S094	Hammered	3000-N	42.3
1284	Urban Street Medium	-	-	914×914	-	S180	Hammered	4502-R	26.5
1566	Urban Street Terra	-	-	600×600	-	S001	Hammered	5020-Y50R	21.6

S001 : White

Packaging

Product size (mm)	m²/box	m²/palette
Creation 70 (Dry Back)		
184 × 1219	3,36	215,32
184 × 1219*	3,14	213,53
208 × 1243	3,62	195,46
228 × 914	3,54	212,65
230 × 1500	3,11	204,93
457 × 914	3,76	203,09
610 × 610	3,35	187,54
914 × 914	4,18	204,84
MIX Planks	3,34	213,49
MIX Tiles	3,34	200,58

* Regimental Picadilly 0807

Product size (mm)	m²/box	m²/palette
Creation 70 Clic		
214 × 1239	1,59	85,86
242 × 1461	1,77	84,96
391 × 729	1,43	85,80
Creation 70 Looselay		
229 × 1220	1,67	100,2
152 × 914	1,67	100,2
235 × 1505	1,41	95,9
600 × 600	1,44	83,5
914 × 914	3,34	100,2
Creation 70 Connect		
701,3 × 701,3	-	49,14

Exclusive embosses



Stone



Brushed



Saw effect




Natural



Hammered



Perforated



Textile



Rib Wood



Ultra
Realistic
Embossing