



Tiles & planks
Senso Collection

Floor for the home
2025 Collection

Gerflor®



Table of contents

- 4. Gerflor Group
- 7. Gerflor committed to people and the planet
- 9. Interior designer
- 10. Gerflor decoration trends
- 14. Make the right choice

LVT interlocking

- 16. Senso Premium Rigid Acoustic **NEW**
- 24. Senso Premium Clic
- 34. Senso Clic
- 44. Senso 20 Lock

LVT looselay

- 50. Senso Unik **NEW**

LVT self adhesive

- 58. Senso self-adhesive
- 66. Vinyl tiles

Cleaning - numerical index

- 69. Cleaning instructions
- 70. Numerical index

Find us on social media:



Gerflor Group

continually moving forward

To create, manufacture & market innovative, design-led & eco-responsible solutions for flooring, walls & their finishes.



To anticipate the specific needs of the users, specifiers, installers & distributors around the world.

To provide competitiveness & success for all our customers.

International Presence




& Proximity to our customers through:

- ✓ 30 subsidiaries & a broad network of distributor partners.
- ✓ 24 production plants & logistic hubs.
- ✓ STAFF: 5 000 employees, 40 nationalities.



Industrial Expertise

in several fields



Design
trendy & creativity

Our in-house Creation Studio brings product design originality & freshness.

Decoration solutions

Every year, Gerflor renews its collections and reates new designs.


Innovation
Gerflor spirit

3 Research & Development centers dedicated to product innovation.

Innovation distinguishes between a leader and a follower.



Expert
in vinyl tiles and planks since 1985



Clever
Quick & easy to install and maintain



Gerflor Group

continually moving forward


Inventor innovation for the home



Self-Adhesive Tiles
A revolutionary Peel'n Stick product:
fast and easy to lay



Senso Premium Rigid Acoustic & Senso Unik



Gerflor committed to people and the planet

Faced with the climate emergency, the Gerflor Group has set sustainable development as a strategic priority and is acting daily on 4 axes



Carbon footprint

25 years: this is the average lifespan of Gerflor floors.
Innovate to facilitate and optimize the cleaning of our floors (create high-performance surface treatments to reduce the carbon footprint of the product over its life cycle by limiting consumption of water, energy and cleaning agents).

>70%

Gerflor floor components are of biosourced, mineral or recycled origin

OUR MAIN ECO-DESIGN CRITERIA:

- Material safety (REACH)
- Durability
- Recyclability
- Product lightening
- Recycled content
- Ease of maintenance
- Disassemblability
- Biosourced content



Indoor air quality

Low VOC emissions

- All our products conform to **Floorscore, AgBB, A+ (France) and M1 (Finlande)** standards.
- TVOC emissions after 28 days **< 100 µg/m³**.
- Gerflor looselay solutions (GFT rolls, tiles and snap-together planks): no glue required.



► VOC Free system



Recycled Content

Our tiles and planks floors contain an average of 28% recycled material (production waste, installation waste, end-of-life products).

All our recycled content is controlled and compliant with the European REACH regulation. The integration of recycled materials does not degrade the quality or performance of the products.



Gerflor is a French company with heart of production in France and Belgium

82% of products sold in France are made in France
By working as much as possible locally, we reduce our carbon impact linked to transport.





Before

After

0954 - Columbia Pearl

Interior designer

Simulate your renovation project with Gerflor



Thanks to our real-time simulation tools, you can integrate our floors directly into the photo of your home and choose the ideal color. Let your creativity speak and visualize the result before even starting the renovation work.




Gerflor Decoration trends

Artefacto

The Artefacto trend stands out with its bold geometric shapes and bright colors, creating a playful and surprising style. Inspired by the Memphis movement of the 80s, it favors originality and artistic expression. This revolutionary design, although sometimes considered too eccentric, will bring a touch of joy and retro nostalgia to your interior. The materials and textures used recall the spirit of liberation and creativity. Artefacto transforms flaws into qualities, offering a unique and captivating aesthetic.



RETRO



Contrasting and GARISH colors




CLARITY
DEPTH
TRANSPARENCY

Onirique

The Onirique trend in decoration is inspired by dreams and the exploration of the subconscious, creating a unique and poetic aesthetic. It uses pastel colors and plays on transparency to evoke celestial and marine landscapes, while contrasting with dark elements such as granite black. This artistic style, influenced by creators such as Fornasetti and Calatrava, offers a vast field of expression to the imagination. It combines softness and mysticism, transforming spaces into true works of art.



IMAGINARY



Dream
Escape
Pause

Soft textures

Authenticity


Gerflor Decoration trends

Terranova

The Terranova trend highlights the purity of raw materials such as clay, terracotta, wood and stone, inspired by the Japanese Wabi-Sabi concept. It values imperfection and the natural characteristics of materials, in contrast to modern and technological surfaces. This style advocates a return to nature and psycho-physical balance, in response to the pandemic and increasing digitalization. Terranova stands out for its authentic aesthetics and a palette of natural colors.



Raw clay




WABISABI



Purity



Wood Stone BAMBOO Linen



Worked by time

Imperfection

Erosion
Usury

Terracotta

Timeless

These are the best sellers! Why? Because these decors cross all trends and all years. They last despite your desire to change sofas, tables, chairs, etc., wall colors or decorative objects. These colors adapt to all atmospheres, for modern and classic interiors. It's a return to the essential and the timeless. This trend favors natural materials such as wood and stone, creating warm and authentic spaces. Neutral and soothing colors, such as beige and off-white, dominate this trend. The design emphasizes sustainability and simplicity, with clean lines and functional objects. Finally, the influence of the Scandinavian style is felt, bringing a touch of serenity and minimalism.



MARBLE



Timelessness


Essential

Travertine



Classic

Marquetry



MODERN

LVT solutions

Gerflor 2025

Make the right choice!

		Interlocking				Looselay	Self Adhesive
		SENSO PREMIUM RIGID ACOUSTIC	SENSO PREMIUM CLIC	SENSO CLIC	SENSO 20 LOCK	SENSO UNIK	SENSO SELF-ADHESIVE
	Renovation	✓ If joints <8mm depth & 3mm width	✓ if joints <5mm depth & 2mm width	✓ if joints <5mm depth & 2mm width	✗	✓ if joints <3mm depth & 1mm width	✗
	Thickness (mm)	5.70	4.5	4.2	3.4	3.5	2
	Traffic resistance	+++	+++	++	+	++	+
	Wear layer thickness (mm)	0.55	0.55	0.4	0.2	0.4	0.2
	European classification	23 / 33	23 / 33	23 / 32	22	23 / 32	22
	Sound insulation (dB)	21	4	4	3	4	3
	Price	€ € €	€ € €	€ €	€	€ €	€
	Suitable for wet rooms		✓			✓	
	Installation in front of bay window (max 60°C) and Velux		✓			✓	
	Veranda installation		✗			✗	
	Underfloor heating compatibility (reversible floor and heated floor with T<28°C)		✓			✓	
	Pets compatibility		✓			✓	
		Page 16	Page 24	Page 34	Page 44	Page 50	Page 58



NEW



SENSO PREMIUM RIGID ACOUSTIC



**30% lighter than
standard SPC**



**Clic system
Easy to install and cut**
in hard-to-reach areas



Direct laying on ceramic
Max 8mm / 3mm



Acoustic underlayer integrated
Comfort & impact sound reduction



Bay window installation
Max 60°



**MADE IN
BELGIUM**



Scan and
discover
INTERIOR
DESIGNER



1-Country Light

Size: 125 × 22.9 cm
Code: 3947 1541 - EAN: 3475710633010

2-Country Beige

Size: 125 × 22.9 cm
Code: 3947 1625 - EAN: 3475710655265

3-Meadow Honey

Size: 125 × 22.9 cm
Code: 3947 1540 - EAN: 3475710632990

4-Columbia Taupe

Size: 125 × 22.9 cm
Code: 3947 0953 - EAN: 3475710655210

5-Columbia

Size: 125 × 22.9 cm
Code: 3947 0837 - EAN: 3475710655203

6-Meadow Spring Honey

Size: 125 × 22.9 cm
Code: 3947 1507 - EAN: 3475710655258

7-Authentic Nature

Size: 125 × 22.9 cm
Code: 3947 0828 - EAN: 3475710655227



8-Pecan

Size: 125 × 22.9 cm
Code: 3947 0511 - EAN: 3475710655241

9-Sunny White

Size: 125 × 22.9 cm
Code: 3947 0286 - EAN: 3475710655234

NEW



1628 - Country Natural



- 1-Country Natural**
Size: 149.2 × 22.9 cm
Code: 4044 1628 - EAN: 3475710655388
- 2-Bambi Fauve**
Size: 149.2 × 22.9 cm
Code: 4044 1629 - EAN: 3475710655395
- 3-Country Brown**
Size: 149.2 × 22.9 cm
Code: 4044 1627 - EAN: 3475710655371



NEW



1



2



3



4

- 1-Sandy Stone**
Size: 73 × 39.9 cm
Code: 3948 1611 - EAN: 3475710654848
- 2-Pepper Light**
Size: 73 × 39.9 cm
Code: 3948 0890 - EAN: 3475710633027
- 3-Pepper Taupe**
Size: 73 × 39.9 cm
Code: 3948 0889 - EAN: 3475710654831
- 4-Grey Marble**
Size: 73 × 39.9 cm
Code: 3948 1539 - EAN: 3475710633034



1539 - Grey Marble

Technical Characteristics

Description				
Total thickness	EN ISO 24346	mm	5.70	
Thickness of wearlayer	EN ISO 24340	mm	0.55	
Weight: mass per unit area	EN ISO 23997	g/sqm	7000	
Size	EN ISO 24342	cm	planks: 22.9 × 125	tiles: 39.9 × 73
Number of planks / tiles and sqm per box	-	planks / tiles	7 planks / 2 sqm	7 tiles / 2.04 sqm
Classification				
Norm / Product specification	-	-	EN ISO 10582	
Fire rating - Classification	EN 13501-1	class	Bfl-s1	
Static electrical propensity	EN 1815	kV	< 2	
Slip Resistance Wet	EN 16165:2021 – Appendix B (DIN 51 130)	class	R10	
Performance				
Wear resistance	EN 660.2	mm ³	< 2.0	
Wear group	-	group	T	
Type binder content	ISO 10582	type	I	
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.15	
Dimensional stability (average measured value)	-	%	≤ 0.10	
Residual indentation	EN ISO 24343-1	mm	≤ 0.10	
Sound insulation	EN ISO 717-2	dB	21	
Room impact noise	NF S 31074	dB	79	
Castor chair test	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 105 - B02	degree	≥ 6	
Surface treatment	-	-	Pureclean+®	
Chemical products resistance	EN ISO 26987	class	OK	
Environment / Indoor Air Quality				
TVOC after 28 days	ISO 16000-6	µg/m ³	< 10	
Ce Marking				
	EN 14041	   		

Areas of use: domestic use

Phthalate free (except recycled content)

Composition 100 % REACH

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



SENSO PREMIUM CLIC



Easy to install and cut
in hard-to-reach areas



Direct laying on ceramic
Max 5mm / 2mm



Bay window installation
Max 60°



Heavy residential traffic



MADE IN
FRANCE



Scan and
discover
INTERIOR
DESIGNER



1-Sunny White

Size: 123.9 × 21.2 cm
Code: 6053 0286 - EAN: 3475710551741

2-Kola

Size: 123.9 × 21.2 cm
Code: 6053 0309 - EAN: 3475710551734

3-Meadow Light Greige

Size: 123.9 × 21.2 cm
Code: 6053 1505 - EAN: 3475710624414

4-Meadow Taupe

Size: 123.9 × 21.2 cm
Code: 6053 1506 - EAN: 3475710624421

5-Meadow Spring Honey

Size: 123.9 × 21.2 cm
Code: 6053 1507 - EAN: 3475710624438

6-Pecan

Size: 123.9 × 21.2 cm
Code: 6053 0511 - EAN: 3475710551727

EIR embossing



0286 - Sunny White



1506 - Meadow Taupe



- 1-Columbia Taupe**
Size: 123.9 x 21.2 cm
Code: 6053 0953 - EAN: 3475710551772
- 2-Columbia**
Size: 123.9 x 21.2 cm
Code: 6053 0837 - EAN: 3475710551765
- 3-Authentic Nature**
Size: 123.9 x 21.2 cm
Code: 6053 0828 - EAN: 3475710551789
- 4-Noce Taupe**
Size: 123.9 x 21.2 cm
Code: 6053 1504 - EAN: 3475710624407
- 5-Noce Brown**
Size: 123.9 x 21.2 cm
Code: 6053 1503 - EAN: 3475710624391
- 6-Cleveland Dark**
Size: 123.9 x 21.2 cm
Code: 6053 0728 - EAN: 3475710551796





1-Fjord Light Oak
Size: 146.1 × 24 cm
Code: 6052 1509 - EAN: 3475710624384

2-Fjord Oak Golden
Size: 146.1 × 24 cm
Code: 6052 1508 - EAN: 3475710624377



1509 - Fjord Light Oak



0890 - Pepper Light



1-Pepper Light
Size: 49 × 98 cm
Code: 6115 0890 - EAN: 3475710624643

2-Pepper Taupe
Size: 49 × 98 cm
Code: 6115 0889 - EAN: 3475710624650



Technical Characteristics

Description					
Total thickness	EN ISO 24346	mm	4.5		
Thickness of wearlayer	EN ISO 24340	mm	0.55		
Weight: mass per unit area	EN ISO 23997	g/sqm	7100		
Size	EN ISO 24342	cm	planks: 21.2 × 123.9	planks: 24 × 146.1	tiles: 49 × 98
Number of planks / tiles and sqm per box	-	planks / tiles	8 planks / 2.10 sqm	7 planks / 2.45 sqm	5 tiles / 2.40 sqm
Classification					
Norm / Product specification	-	-	EN ISO 10582		
Fire rating - Classification	EN 13501-1	class	Bfl-s1		
Static electrical propensity	EN 1815	kV	< 2		
Performance					
Wear resistance	EN 660.2	mm ³	< 2.0		
Wear group	-	group	T		
Type binder content	ISO 10582	type	I		
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.15		
Dimensional stability (average measured value)	-	%	0.05		
Residual indentation	EN ISO 24343-1	mm	≤ 0.10		
Sound insulation	EN ISO 717-2	dB	4		
Room impact noise	NF S 31074	dB	79		
Castor chair test	ISO 4918	-	OK		
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25		
Colour fastness	EN 105 - B02	degree	≥ 6		
Surface treatment	-	-	Pureclean+®		
Chemical products resistance	EN ISO 26987	class	OK		
Environment / Indoor Air Quality					
TVOC after 28 days	ISO 16000-6	µg/m ³	< 10		
Ce Marking					
	EN 14041				



Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





1517 - Chaliki Natural



1516 - Neo Marble



- 1-Chaliki Natural**
Size: 49 × 98 cm
Code: 6115 1517 - EAN: 3475710624674
- 2-Chaliki Verde**
Size: 49 × 98 cm
Code: 6115 1518 - EAN: 3475710624698
- 3-Neo Marble**
Size: 49 × 98 cm
Code: 6115 1516 - EAN: 3475710624667





SENSO CLIC



Direct laying on ceramic
Max 5mm / 2mm



Bay window installation
Max 60°



Traffic resistant
Wear layer 0,4mm **NEW**



Scan and
discover
INTERIOR
DESIGNER



0950 - Pecan Nature

- 1-Pecan Light**
Size: 123.9 x 21.2 cm
Code: 6121 1300 - EAN: 3475710632952
- 2-Simba Nature**
Size: 123.9 x 21.2 cm
Code: 6121 1028 - EAN: 3475710643187
- 3-Pecan Nature**
Size: 123.9 x 21.2 cm
Code: 6121 0950 - EAN: 3475710643170
- 4-Columbia Pearl**
Size: 123.9 x 21.2 cm
Code: 6121 0954 - EAN: 3475710643217
- 5-Pecan**
Size: 123.9 x 21.2 cm
Code: 6121 0511 - EAN: 3475710632969



1300 - Pecan Light



- 1-Scandinav Light**
Size: 123.9 x 21.2 cm
Code: 6121 1515 - EAN: 3475710643248
- 2-Scandinav Medium**
Size: 123.9 x 21.2 cm
Code: 6121 1512 - EAN: 3475710632945
- 3-Scandinav Honey**
Size: 123.9 x 21.2 cm
Code: 6121 1513 - EAN: 3475710643231
- 4-Lord Honey**
Size: 123.9 x 21.2 cm
Code: 6121 0955 - EAN: 3475710632938
- 5-Scandinav Dark**
Size: 123.9 x 21.2 cm
Code: 6121 1514 - EAN: 3475710643224





1-Travertin Ivory
Size: 72.9 × 38.9 cm
Code: 6122 1511 - EAN: 3475710645785

2-Pietra Beige
Size: 72.9 × 38.9 cm
Code: 6122 1510 - EAN: 3475710645778



1511 - Travertin Ivory



1-Gotha Clear
Size: 72.9 × 38.9 cm
Code: 6122 0938 - EAN: 3475710645761

2-Pepper Taupe
Size: 72.9 × 38.9 cm
Code: 6122 0889 - EAN: 3475710646034

3-Shale Black
Size: 72.9 × 38.9 cm
Code: 6122 1297 - EAN: 3475710632983



Technical Characteristics

Description				
Total thickness	EN ISO 24346	mm	4.20	
Thickness of wearlayer	EN ISO 24340	mm	0.40	
Weight: Mass per unit area	EN ISO 23997	g/sqm	6700	
Size	EN ISO 24342	cm	planks: 21.2 × 123.9	tiles: 38.9 × 72.9
Number of planks / tiles and sqm per box	-	planks / tiles	8 planks / 2.10 sqm	7 tiles / 1.98 sqm
Classification				
Norm / Product specification	-	-	EN ISO 10582	
Fire rating - Classification	EN 13501-1	class	B _{fl} -s1	
Static electrical propensity	EN 1815	kV	< 2	
Performance				
Wear resistance	EN 660.2	mm ³	≤ 2.0	
Wear group	-	group	T	
Type binder content	ISO 10582	type	I	
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.15	
Dimensional stability (average measured value)			0.05	
Residual indentation	EN ISO 24343-1	mm	≤ 0.10	
Sound insulation	EN ISO 717-2	dB	4	
Room impact noise	NF S 31074	dB	79	
Castor chair test (Type W)	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105 - B02	degree	≥ 6	
Surface treatment	-	-	Pureclean+®	
Chemical products resistance	EN ISO 26987	class	OK	
Environment / Indoor Air Quality				
TVOC after 28 days	ISO 16000-6	µg/m ³	< 10	
CE Marking				
	EN 14041			

Areas of use: domestic use

Phthalate free
(except recycled content)

REACH
Composition
100 % REACH

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



SENSO 20 LOCK

Click...
It's Done!



Quick & easy installation

No glue / Can be trimmed with
an utility knife



Rigid structure



Scan and
discover
INTERIOR
DESIGNER



- 1-Cashew Clear**
Size: 121 × 17.7 cm
Code: 3668 1093 - EAN: 3475710445507
- 2-Dew Beige**
Size: 121 × 17.7 cm
Code: 3668 1091 - EAN: 3475710445439
- 3-Lumber Grey**
Size: 121 × 17.7 cm
Code: 3668 1097 - EAN: 3475710445545
- 4-Lumber Fauve**
Size: 121 × 17.7 cm
Code: 3668 1096 - EAN: 3475710445538
- 5-Lumber Taupe**
Size: 121 × 17.7 cm
Code: 3668 1095 - EAN: 3475710445521



1-Brickell Dark
Size: 60.2 x 29.8 cm
Code: 3667 1119 - EAN: 3475710445477

2-Tuscan
Size: 60.2 x 29.8 cm
Code: 3667 1090 - EAN: 3475710445422

3-Brickell Grey
Size: 60.2 x 29.8 cm
Code: 3667 1099 - EAN: 3475710445460



Technical Characteristics

Description				
Total thickness	EN ISO 24346	mm	3.40	
Thickness of wearlayer	EN ISO 24340	mm	0.20	
Weight	EN ISO 23997	g/sqm	6360	
Size	EN ISO 24342	cm	planks: 17.7 × 121	tiles: 29.8 × 60.2
Number of planks / tiles and sqm per box	-	planks /tiles	9 planks / 1.93 sqm	11 tiles / 1.97 sqm
Classification				
Norm / Product specification	-	-	EN ISO 10582	
Fire rating - Classification	EN 13501-1	class	B _{fl} -s1	
Static electrical propensity	EN 1815	kV	< 2	
Performance				
Wear group	-	group	T	
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0.15	
Residual indentation	EN ISO 24343-1	mm	≤ 0.10	
Sound insulation	EN ISO 717-2	dB	3	
Room impact noise	NF S 31074	dB	78	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105 - B02	degree	≥ 6	
Chemical products resistance	EN ISO 26987	class	OK	
Surface treatment	-	-	PUR+	
Guarantee for residential use	-	year	10	
Environment / Indoor Air Quality				
TVOC after 28 days	ISO 16000-6	µg/m³	< 100	
CE Marking				
	EN 14041	-	   	
Areas of use: domestic use				
	   			

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



NEW



SENSO UNIK

Looselay it's done
no clic no glue



Unlimited design pattern



Easy to install



Easy to replace



Acoustic comfort

LVT Tiles
Looselay



Scan and
discover
INTERIOR
DESIGNER

NEW



- 1-Soleiado**
Size: 61 x 11.4 cm
Code: 3992 1618 - EAN: 3475710654916
- 2-Madera Miel**
Size: 61 x 11.4 cm
Code: 3992 1616 - EAN: 3475710654893
- 3-Madera Castano**
Size: 61 x 11.4 cm
Code: 3992 1617 - EAN: 3475710654909
- 4-Madera Natural**
Size: 61 x 11.4 cm
Code: 3992 1615 - EAN: 3475710654886



1617 Madera Castano
1615 Madera Natural
1616 Madera Miel
1618 Soleiado

NEW




1-Madera Beige
Size: 121.9 × 20.3 cm
Code: 3994 1623 - EAN: 3475710655036

2-Madera Miel
Size: 121.9 × 20.3 cm
Code: 3994 1616 - EAN: 3475710655043

3-Madera Natural
Size: 121.9 × 20.3 cm
Code: 3994 1615 - EAN: 3475710655029





1615 Madera Natural / 1618 Soleiado



1-Cordoba Black
Size: 61 × 61 cm
Code: 3993 1034 - EAN: 3475710655012

2-Soleiado
Size: 61 × 61 cm
Code: 3993 1618 - EAN: 3475710654992

3-Nomade
Size: 61 × 61 cm
Code: 3993 1620 - EAN: 3475710654961



2



↑
OR
↓




3




1620 Nomade




NEW



- 1-Felizia Ocre**
Size: 61 × 61 cm
Code: 3993 1621 - EAN: 3475710654947
- 2-Felizia Azure**
Size: 61 × 61 cm
Code: 3993 1622 - EAN: 3475710654954
- 3-Suave Grey**
Size: 61 × 61 cm
Code: 3993 9077 - EAN: 3475710654985
- 4-Suave Beige**
Size: 61 × 61 cm
Code: 3993 1619 - EAN: 3475710654978



1621 Felizia Ocre / 1616 Madera Miel



Technical Characteristics

Description					
Total thickness	EN ISO 24346	mm	3.5		
Thickness of wearlayer	EN ISO 24340	mm	0.4		
Weight: Mass per unit area	EN ISO 23997	g/sqm	4665		
Size	EN ISO 24342	cm	planks: 20.3 × 121.9	planks: 11.4 × 61	tiles: 61 × 61
Number of planks / tiles and sqm per box	-	planks / tiles	12 planks / 2.97 sqm	36 planks / 2.51 sqm	6 tiles / 2.23 sqm
Classification					
Norm / Product specification	-	-	EN ISO 11638		
Fire rating - Classification	EN 13501-1	class	B _{f1} -s1		
Static electrical propensity	EN 1815	kV	< 2		
Slip resistance wet: ramp test with oil	DIN 51130	class	R9		
Performance					
Wear Resistance	EN 660.2	mm ³	< 2.0		
Wear group	EN 649	group	T		
Type Binder content	EN ISO 11638	group	I		
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0.15		
Dimensional stability (average measured value)	-	%	≤ 0.10		
Residual indentation	EN ISO 24343-1	mm	≤ 0.15		
Sound insulation	EN ISO 717-2	dB	17		
Room impact noise	NF S 31074	dB	72		
Castor chair test	ISO 4918	-	OK		
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25		
Colour fastness	EN 20 105 - B02	degree	≥ 6		
Surface treatment	-	-	PUR+ Matt		
Chemical Products Resistance	EN ISO 26987	-	OK		
Environment / Indoor Air Quality					
TVOC after 28 days	ISO 16000-6	µg/m ³	< 100		
CE Marking					
	EN 14041	-	  		
Areas of use: domestic use					
 		 			
		  			

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





SENSO SELF-ADHESIVE

**Installed quickly
& easily!**



Ultra-Realistic

4 bevelled edges
Textured surface



Quick & Easy Installation

No glue, no joints, no spacers
Can be cut with a utility knife
Dust-free



Scan and
discover
INTERIOR
DESIGNER

SENSO RUSTIC



0394 - White Pecan

1-White Pecan

AS: Size: 91.4 x 15.2 cm
Code: 3325 0394 - EAN: 3475710304651

2-Kola

AS: Size: 91.4 x 15.2 cm
Code: 3325 0309 - EAN: 3475710247538

3-Imperial Pearl

AS: Size: 91.4 x 15.2 cm
Code: 3325 1014 - EAN: 3475710602320

4-Pecan

BD: Size: 91.4 x 15.2 cm
Code: 3327 0511 - EAN: 3475710250385

5-Muscade

BD: Size: 91.4 x 15.2 cm
Code: 3327 0306 - EAN: 3475710250408

6-Noisette

BD: Size: 91.4 x 15.2 cm
Code: 3327 0311 - EAN: 3475710250392

7-Cleveland Dark

VS: Size: 91.4 x 15.2 cm
Code: 3325 0728 - EAN: 3475710606106



1



2



3



4



5



6




7



0306 - Muscade

SENSO NATURAL

- 1-Sunny Light**
VS: Size: 91.4 × 15.2 cm
Code: 3280 0996 - EAN: 3475710551550
- 2-Columbia**
VS: Size: 91.4 × 15.2 cm
Code: 3280 0347 - EAN: 3475710391088
- 3-Noyer Naturel**
VS: Size: 91.4 × 15.2 cm
Code: 3280 0018 - EAN: 3475710235238
- 4-Authentic Nature**
VS: Size: 91.4 × 15.2 cm
Code: 3280 0577 - EAN: 3475710602122
- 5-Travertin**
VS: Size: 30.5 × 60.9 cm
Code: 3374 0201 - EAN: 3475710320385
- 6-Night Slate**
VS: Size: 30.5 × 60.9 cm
Code: 3374 0397 - EAN: 3475710319419




LVT Tiles
Self adhesive



1-Ceruse Blanc
VS: Size: 91.4 × 15.2 cm
Code: 3326 0301 - EAN: 3475710247897

2-Wallstreet Light
Size: 30.5 × 60.9 cm
Code: 3375 0702 - EAN: 3475710391095



Technical Characteristics

			PLANKS	TILES
Description				
Total thickness	EN ISO 24346	mm	2.00	2.00
Thickness of wearlayer	EN ISO 24340	mm	0.20	0.20
Weight: mass per unit area	EN ISO 23997	g/sqm	3920	3425
Size	EN ISO 24342	cm	planks: 91.4 × 15.2	tiles: 30.5 × 60.9
Number of planks / tiles and sqm per box	-	planks / tiles	16 planks / 2.20 sqm	12 tiles / 2.22 sqm
Classification				
Norm / Product specification	-	ISO 10582	ISO 10582	ISO 10582
Fire rating - Classification	EN 13501-1	class	Bfl S1	Bfl S1
Static electrical propensity	EN 1815	-	< 2 kV	< 2 kV
Slip resistance wet: ramp test with oil	DIN 51130	class	R9	R9
Performance				
Wear group	EN 649	group	T	T
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0.25	≤ 0.25
Residual Indentation	EN ISO 24343-1	mm	0.05	0.05
Impact sound insulation	EN ISO 717-2	dB	3	3
Room impact noise	NF S 31074	class	C	C
Thermal conductivity	EN ISO 10456	W(m.k)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface treatment	-	-	PUR	PUR
Garantee for residential use	-	year	10	10
Environment / Indoor Air Quality				
TVOC after 28 days	ISO 16000-6	µg/m³	< 100	< 100
VOC rating (French norm)	-	-	A+	A+
CE Marking				
		EN 14041		

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



Vinyl tiles

SELF-ADHESIVES



Eco-Friendly
Garanteed lead-free
and formaldehyde-free



Compact
Exclusive underlayer for
long-lasting stability





Scan and
discover
INTERIOR
DESIGNER

0135 - Marble Beige


Design



1-White Tile
Size: 30.5 × 30.5 cm
Code: 3237 0224 - EAN: 3475710186844
2-Slate Anthracite
Size: 30.5 × 30.5 cm
Code: 3237 0220 - EAN: 3475710186820
3-Black Tile
Size: 30.5 × 30.5 cm
Code: 3237 0221 - EAN: 3475710186837



Prime



4-Granite Grey
Size: 30.5 × 30.5 cm
Code: 4556 0130 - EAN: 3475710099380
5-Marble Beige
Size: 30.5 × 30.5 cm
Code: 4556 0135 - EAN: 3475710099410
6-Wood Clear
Size: 30.5 × 30.5 cm
Code: 4556 0139 - EAN: 3475710099434



Technical Characteristics

			DESIGN	PRIME
Description				
Total thickness	EN ISO 24346	mm	1.50	1.30
Thickness of wearlayer	EN ISO 24340	mm	0.08	0.08
Weight: Mass per unit area	EN ISO 23997	g/sqm	2550	2190
Size	EN ISO 24342	cm	tiles: 30.5 × 30.5	tiles: 30.5 × 30.5
Number of planks / tiles and sqm per box	-	tiles	11 tiles / 1 sqm	11 tiles / 1 sqm
Classification				
Norm / Product specification	-	ISO 10582	ISO 10582	ISO 10582
Fire rating - Classification	EN 13501-1	class	Bfl S1	Bfl S1
Static electrical probersity	EN 1815	-	< 2 kV	< 2 kV
Slip resistance wet: ramp test with oil	DIN 51130	class	R9 / R10	R9 / R10
Performance				
Wear group	EN 649	group	T	T
Dimensional stability after exposure to heat	EN ISO 23999	%	< 0.40	< 0.40
Residual Indentation	EN ISO 24343-1	mm	0.04	0.04
Impact sound insulation	EN ISO 717-2	dB	3	3
Room impact noise	NF S 31074	class	C	C
Thermal conductivity	EN ISO 10456	W(m.k)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Garantee for residential use	-	year	7	3
Environment / Indoor Air Quality				
TVOC after 28 days	ISO 16000-6	µg/m³	< 100	< 100
VOC rating (French norm)	-	-	A+	A+
CE Marking				
	EN 14041	  		
Areas of use: domestic use   Phtalate free  Composition 100 % REACH  				

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation

DESIGN / PRIME

How to care
For your Gerflor floor

SAFETY TIPS

- Use plastic coasters or felt pads under the feet of furniture and other heavy objects.
- Protect from sources of heat and spills.

CLEANING

Regular cleaning: use a vacuum and a damp mop with a standard, no-rinse detergent solution. Gerflor recommends using its Power Cleaner for routine cleaning.

Deep cleaning (every 6-12 months): to make your floor shine like new again, use a restorative product. Gerflor recommends using its Renovator Polish to protect and enhance the look of your floor. It leaves a matte finish and brightens up colours.

Stubborn stains: use diluted bleach, white spirit, alcohol or lemon juice.

- Stains such as tomato sauce, mustard, beet juice, blood, ink and iodine: use diluted bleach, allowing it to sit for several minutes and then rinsing thoroughly.
- Rust stains: clean with fabric rust remover and rinse thoroughly.
- Marker, pen, grease and glue stains: rub gently with a cloth moistened with white spirit, and rinse thoroughly.

Products to avoid: acetone, chlorinated solvents such as trichlorethylene, wax, glaze.



LVT Numerical Index

Notes

Color Code	Design Color	Type	Size mm	Range	Page
39470511	Authentic Nature	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
40441629	Bambi Fauve	Planks	229x1492	SENSO PREMIUM RIGID ACOUSTIC	21
39470837	Columbia	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
39470286	Columbia Taupe	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
39471625	Country Beige	Planks	229x1492	SENSO PREMIUM RIGID ACOUSTIC	21
40441627	Country Brown	Planks	229x1492	SENSO PREMIUM RIGID ACOUSTIC	21
39471541	Country Light	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
40441628	Country Natural	Planks	229x1492	SENSO PREMIUM RIGID ACOUSTIC	21
39481539	Grey Marble	TILES	399x730	SENSO PREMIUM RIGID ACOUSTIC	22
39471540	Meadow Honey	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
39471507	Meadow Spring Honey	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	19
39470511	Pecan	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	19
39480890	Pepper Light	TILES	399x730	SENSO PREMIUM RIGID ACOUSTIC	22
39480889	Pepper Taupe	TILES	399x730	SENSO PREMIUM RIGID ACOUSTIC	22
39481611	Sandy Stone	TILES	399x730	SENSO PREMIUM RIGID ACOUSTIC	22
39470286	Sunny White	Planks	229x1250	SENSO PREMIUM RIGID ACOUSTIC	18
60530828	Authentic Nature	PLANKS	1239x212	SENSO PREMIUM CLIC	28
61151517	Chalkli Natural	TILES	490x980	SENSO PREMIUM CLIC	32
61151518	Chalkli Verde	TILES	490x980	SENSO PREMIUM CLIC	32
60530728	Cleveland Dark	PLANKS	1239x212	SENSO PREMIUM CLIC	28
60530837	Columbia	PLANKS	1239x212	SENSO PREMIUM CLIC	28
60530953	Columbia Taupe	PLANKS	1239x212	SENSO PREMIUM CLIC	28
60521509	Fjord Light Oak	PLANKS	1461x240	SENSO PREMIUM CLIC	30
60521508	Fjord Oak Golden	PLANKS	1461x240	SENSO PREMIUM CLIC	30
60530309	Kola	PLANKS	1239x212	SENSO PREMIUM CLIC	26
60531505	Meadow Light Greige	PLANKS	1239x212	SENSO PREMIUM CLIC	26
60531507	Meadow Spring Honey	PLANKS	1239x212	SENSO PREMIUM CLIC	26
60531506	Meadow Taupe	PLANKS	1239x212	SENSO PREMIUM CLIC	26
61151516	Neo Marble	TILES	490x980	SENSO PREMIUM CLIC	32
60531503	Noce Brown	PLANKS	1239x212	SENSO PREMIUM CLIC	28
60531504	Noce Taupe	PLANKS	1239x212	SENSO PREMIUM CLIC	28
60530511	Pecan	PLANKS	1239x212	SENSO PREMIUM CLIC	26
61150890	Pepper Light	TILES	490x980	SENSO PREMIUM CLIC	31
61150889	Pepper Taupe	TILES	490x980	SENSO PREMIUM CLIC	31
60530286	Sunny White	PLANKS	1239x212	SENSO PREMIUM CLIC	26
61210954	Columbia Pearl	PLANKS	1239x212	SENSO CLIC	36
61220938	Gotha Clear	TILES	729x389	SENSO CLIC	42
61210955	Lord Honey	PLANKS	1239x212	SENSO CLIC	39
61210511	Pecan	PLANKS	1239x212	SENSO CLIC	36
61211300	Pecan Light	PLANKS	1239x212	SENSO CLIC	36
61210950	Pecan Nature	PLANKS	1239x212	SENSO CLIC	36
61220889	Pepper Taupe	PLANKS	729x389	SENSO CLIC	42
61221510	Pietra Beige	PLANKS	729x389	SENSO CLIC	41
61211514	Scandinav Dark	PLANKS	1239x212	SENSO CLIC	39
61211513	Scandinav Honey	PLANKS	1239x212	SENSO CLIC	39
61211515	Scandinav Light	PLANKS	1239x212	SENSO CLIC	39
61211512	Scandinav Medium	PLANKS	1239x212	SENSO CLIC	39
61221297	Shale Black	PLANKS	729x389	SENSO CLIC	42
61211028	Simba Nature	PLANKS	1239x212	SENSO CLIC	36
61221511	Travertin Ivory	PLANKS	729x389	SENSO CLIC	41
36671119	Brickell Dark	TILES	298x602	SENSO 20 LOCK	48
36671099	Brickell Grey	TILES	298x602	SENSO 20 LOCK	48
36681093	Cashew Clear	PLANKS	177x1210	SENSO 20 LOCK	47
36681091	Dew Beige	PLANKS	177x1210	SENSO 20 LOCK	47
36681096	Lumber Fauve	PLANKS	177x1210	SENSO 20 LOCK	47
36681097	Lumber Grey	PLANKS	177x1210	SENSO 20 LOCK	47
36681095	Lumber Taupe	PLANKS	177x1210	SENSO 20 LOCK	47
36671090	Tuscan	TILES	298x602	SENSO 20 LOCK	48
39931034	Cordoba Black	TILES	610x610	SENSO UNIK	55
39931622	Felizia Azure	TILES	610x610	SENSO UNIK	56
39931621	Felizia Ocre	TILES	610x610	SENSO UNIK	56
39941623	Madera Beige	PLANKS	203.2x1219.2	SENSO UNIK	54
39921617	Madera Castano	PLANKS	114x610	SENSO UNIK	52
39941616	Madera Miel	PLANKS	203.2x1219.2	SENSO UNIK	54
39921616	Madera Miel	PLANKS	114x610	SENSO UNIK	52
39941615	Madera Natural	PLANKS	203.2x1219.2	SENSO UNIK	52
39921615	Madera Natural	PLANKS	114x610	SENSO UNIK	52
39931620	Nomade	TILES	610x610	SENSO UNIK	55
39921618	Soleiado	PLANKS	114x610	SENSO UNIK	52
39931618	Soleiado	TILES	610x610	SENSO UNIK	55
39931619	Suave Beige	TILES	610x610	SENSO UNIK	56
39939077	Suave Grey	TILES	610x610	SENSO UNIK	56
33250728	Cleveland Dark	PLANKS	914x152	SENSO RUSTIC	60
33251014	Imperial Pearl	PLANKS	914x152	SENSO RUSTIC	60
33250309	Kola	PLANKS	914x152	SENSO RUSTIC	60
33270306	Muscade	PLANKS	914x152	SENSO RUSTIC	60
33270311	Noisette	PLANKS	914x152	SENSO RUSTIC	60
33270511	Pecan	PLANKS	914x152	SENSO RUSTIC	60
33250394	White Pecan	PLANKS	914x152	SENSO RUSTIC	60
32800577	Authentic Nature	PLANKS	914x152	SENSO NATURAL	62
32800347	Columbia	PLANKS	914x152	SENSO NATURAL	62
33740397	Night Slate	TILES	609x305	SENSO NATURAL	62
32800018	Noyer Naturel	PLANKS	914x152	SENSO NATURAL	62
32800996	Sunny Light	PLANKS	914x152	SENSO NATURAL	62
33740201	Travertin	TILES	609x305	SENSO NATURAL	62
33260301	Ceruse Blanc	PLANKS	914x152	SENSO URBAN	64
33750702	Wallstreet Light	TILES	609x305	SENSO URBAN	64
23270221	Black Tile	TILES	305x305	DESIGN	67
23270220	Slate Anthracite	TILES	305x305	DESIGN	67
23270224	White Tile	TILES	305x305	DESIGN	67
45560130	Granite Grey	TILES	305x305	PRIME	67
45560135	Marble Beige	TILES	305x305	PRIME	67
45560139	Wood Clear	TILES	305x305	PRIME	67

ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: +61 1 800 060 785
New Zealand Tel: + 64 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International
Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

CZECH REPUBLIC & SLOVAKIA: Gerflor CZ s.r.o.
Tel: +420 725 815 902

FINLAND: Gerflor Oy
Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor
Tel: 00 33 4 75 50 68 68 - Fax: 00 33 4 75 50 69 95
e-mail: serviceconso@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerfloriri@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: info@gerflorme.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o.
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor zao
Tel./Fax: + 7 495 785 23 71
e-mail: gerflorrussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor USA
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com



we care / we act Our Commitments for a Sustainable future


CARBON FOOTPRINT*
-20 % kg
CO₂ equivalent/m²
between 2020 and 2025


BIOSOURCED CONTENT**
10 % by 2025


RECYCLED CONTENT
30 % by 2025


ADHESIVE FREE***
35 % by 2025


ANNUAL VOLUME RECYCLED
60 000 t by 2025

Gerflor®

* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution