



Vinyl Rolls
Collection

Floor for the home
2025 Collection

Gerflor[®]

Table of contents



- 4. Gerlor Group
- 7. Gerflor committed to people and the planet
- 9. Interior Designer
- 10. Gerflor Decoration Trends

GFT backing rolls Looselay

- 16. Gerflor Fibre Technology
- 18. Make the right choice!
- 20. Texline Nature
- 32. HQR
- 42. Nerok Tex
- 52. Texline
- 70. Loftex
- 76. Primetex

Vinyl backing rolls

Fully adhered

- 92. Vinyl backing rolls solutions
- 94. Nerok
- 104. Booster
- 116. Start

Index Maintenance

- 123. Index
- 127. Cleaning instructions

Find us on social media:



Gerflor Group

continually moving forward

To create, manufacture & market innovative, design-led & eco-responsible solutions for flooring, walls & their finishes.



To anticipate the specific needs of the users, specifiers, installers & distributors around the world.

To provide competitiveness & success for all our customers.

International Presence

& Proximity to our customers through:



- ✓ 30 subsidiaries & a broad network of distributor partners.
- ✓ 24 production plants & logistic hubs.
- ✓ STAFF: 5 000 employees, 40 nationalities.



● Sales offices ● Manufacturing plants ● Head office

Industrial Expertise

in several fields



Design

trendy & creativity

Our in-house Creation Studio brings product design originality & freshness.

Decoration solutions

Every year, Gerflor renews its collections and creates new designs.



Innovation

Gerflor spirit


3 Research & Development centers dedicated to product innovation.

Innovation distinguishes between a leader and a follower.



Expert

in vinyl tiles and planks since 1985



Clever

Quick & easy to install and maintain



Gerflor Group continually moving forward

Gerflor committed to people and the planet

Inventor innovation for the home



Texline
The original patented
GFT textile backing: Unroll it's laid !



Texline Nature
55% natural, bio-circular or recycled raw material
Installation without glue on all subfloors - re-usable
100% Made in France
100% Recyclable



Faced with the climate emergency, the Gerflor Group has set sustainable development as a strategic priority and is acting daily on 4 axes



Carbon footprint

25 years: this is the average lifespan of Gerflor floors.
Innovate to facilitate and optimize the cleaning of our floors (create high-performance surface treatments to reduce the carbon footprint of the product over its life cycle by limiting consumption of water, energy and cleaning agents).

>70%

Gerflor floor components are of biosourced, mineral or recycled origin

OUR MAIN ECO-DESIGN CRITERIA:

Material safety (REACH)
Durability
Recyclability
Product lightening
Recycled content
Ease of maintenance
Disassemblability
Biosourced content



Indoor air quality

Low VOC emissions

- All our products conform to **Floorscore, AgBB, A+ (France) and M1 (Finlande)** standards.
- TVOC emissions after 28 days < 100 µg/m³.
- Gerflor looselay solutions (GFT rolls, tiles and snap-together planks): no glue required.



VOC Free system



Recycled Content


Our PVC floors contain an average of 22% recycled material (production waste, installation waste, end-of-life products).

All our recycled content is controlled and compliant with the European REACH regulation. The integration of recycled materials does not degrade the quality or performance of the products.



Gerflor is a French company with heart of production in France and Belgium

82% of products sold in France are made in France
By working as much as possible locally, we reduce our carbon impact linked to transport.





Before

After

2307 - Azay Gold

Interior designer

Simulate your renovation project with Gerflor



Thanks to our real-time simulation tools, you can integrate our floors directly into the photo of your home and choose the ideal color. Let your creativity speak and visualize the result before even starting the renovation work.



Gerflor Decoration trends

Artefacto

The Artefacto trend stands out with its bold geometric shapes and bright colors, creating a playful and surprising style. Inspired by the Memphis movement of the 80s, it favors originality and artistic expression. This revolutionary design, although sometimes considered too eccentric, will bring a touch of joy and retro nostalgia to your interior. The materials and textures used recall the spirit of liberation and creativity. Artefacto transforms flaws into qualities, offering a unique and captivating aesthetic.




Ostentatious

Nostalgia




Geometric shapes



OUTLET

Revolutionary style

RETRO



Contrasting and GARISH colors



Memphis

Onirique

The Onirique trend in decoration is inspired by dreams and the exploration of the subconscious, creating a unique and poetic aesthetic. It uses pastel colors and plays on transparency to evoke celestial and marine landscapes, while contrasting with dark elements such as granite black. This artistic style, influenced by creators such as Fornasetti and Calatrava, offers a vast field of expression to the imagination. It combines softness and mysticism, transforming spaces into true works of art.




Fantasy



Vivid patterns

IMAGINARY



Pastel colors



Soft textures

Dream
Escape
Pause

Gerflor Decoration trends

Terranova


The Terranova trend highlights the purity of raw materials such as clay, terracotta, wood and stone, inspired by the Japanese Wabi-Sabi concept. It values imperfection and the natural characteristics of materials, in contrast to modern and technological surfaces. This style advocates a return to nature and psycho-physical balance, in response to the pandemic and increasing digitalization. Terranova stands out for its authentic aesthetics and a palette of natural colors.



WABISABI

NATURE


Terracotta



Worked by time



Purity



Imperfection

Erosion
Usury


Timeless

These are the best sellers! Why? Because these decors cross all trends and all years. They last despite your desire to change sofas, tables, chairs, etc., wall colors or decorative objects. These colors adapt to all atmospheres, for modern and classic interiors. It's a return to the essential and the timeless. This trend favors natural materials such as wood and stone, creating warm and authentic spaces. Neutral and soothing colors, such as beige and off-white, dominate this trend. The design emphasizes sustainability and simplicity, with clean lines and functional objects. Finally, the influence of the Scandinavian style is felt, bringing a touch of serenity and minimalism.



Wood Stone BAMBOO Linen

Marble



Timelessness



Essential



Travertine



Classic

Marquetry

MODERN






GFT backing Looselay

- 20. **Texline Nature**
- 32. **HQR**
- 42. **Nerok Tex**
- 52. **Texline**
- 70. **Loftex**
- 76. **Primetex**

Floor-covering with exclusive properties thanks to patented **Gerflor Fibre Technology**



Features




Benefits

- Traffic resistance
Protection against scuff marks and scratches
- Solvent free ink
Realistic printed design
- Dimensional stability during temperature changes
- Installs with no or with minimum subfloor preparation
- Resistant to indentation
Acoustic comfort and sound reduction

Ready to install

No adhesive
No subfloor preparation
Economical, quick and easy!



Existing subfloor Concrete



Existing subfloor Tiles

GFT fibres smooths out unevenness of the existing floor.

Incredibly comfortable


Acoustics > Ideal for apartments and for covering hard floors that do not absorb noise
Warmer and flexible > comfortable to walk on

All uses

Watertight
Residential products: 2 to 3,1mm thick
Guaranteed 12 to 15 years

Highly resistant

Scratch-resistant varnish that protects and resists stains
Resistant fibres that protect against dents



Spring-like effect of fibres

Green

TVOC < 100 µg/m³
Textile backing incorporating fibres from recycled plastic bottles
Laying without glue
100% recyclable



TVOC < 100 µg/m³
after 28 days



GFT textile backing vinyl rolls solutions

Gerflor 2025

Make the right choice!

| | Looselay | | Looselay | | | |
|----------------------|----------------------------------------------------------------------------------|-------------------------------|------------------------------|-------------------------------|---------------------------|----------|
| | TEXLINE NATURE | HQR | NEROK TEX | TEXLINE | LOFTEX | PRIMETEX |
| Subfloor preparation | Without subfloor preparation | | Without subfloor preparation | | With subfloor preparation | |
| | Renovation | ✓ | | | ✓ | |
| | Thickness (mm) | 2.5 | 3.1 | 2.7 | 2.9 | 2.5 |
| | Traffic resistance | +++ | ++++ | ++++ | +++ | ++ |
| | Wear layer thickness (mm) | 0.35 | 0.50 | 0.50 | 0.35 | 0.30 |
| | European classification | 23 / 32 | 32 / 41 | 33 / 42 | 23 / 31 | 23 / 31 |
| | Sound insulation (dB) | 15 | 16 | 14 | 16 | 15 |
| | Comfort | +++ | ++++ | +++ | +++ | ++ |
| | Price | €€ | €€€ | €€ | € | € |
| | Tools needed | Utility knife + carpet cutter | | Utility knife + carpet cutter | | |
| | Underfloor heating compatibility (reversible floor and heated floor with T<28°C) | ✓ | | | ✓ | |
| | Pets compatibility | ✓ | | | ✓ | |
| | Domestic use guarantee* | 12 years | 15 years | 15 years | 12 years | 12 years |
| Page 20 | | Page 32 | Page 42 | Page 52 | Page 70 | Page 76 |

* For more details on guarantee, see www.gerflor.com



INNOVATION

texline nature

The first range of
bio-circular vinyl rolls



55%* natural,
bio-circular or recycled

Laying without glue
can be re-used

100% recyclable

Direct laying on ceramic
(if joints < 3mm width
and 1mm depth)

MADE IN
FRANCE



Scan and
discover
**INTERIOR
DESIGNER**

*25% chalk, 12% salt, 10% biosourced PVC**, 8% recycled PET
textilerecycled.

**Bio-circular works like green electricity. It involves
a quantity of raw material of biosourced origin, attributed to a finished
product according to the principle of mass balance certified by the
International Sustainability and Carbon Certification (ISCC).

texline
nature

55%
of natural, bio-circular
or recycled raw materials



*Including 4% ISCC -certified bio-circular ethylene, based on the mass balance principle, and 6% salt.
This helps to reduce the amount of fossil-based plastic, replacing it with bio-based materials.

**texline**
nature

Wood



1-Sherwood Bloom
2 m: Code: 1823 2395 - EAN: 3475710628498
4 m: Code: 1894 2395 - EAN: 3475710628344

2-Sherwood Cream
2 m: Code: 1823 2279 - EAN: 3475710628474
4 m: Code: 1894 2279 - EAN: 3475710628320

3-Sherwood Nut
2 m: Code: 1823 2276 - EAN: 3475710628467
4 m: Code: 1894 2276 - EAN: 3475710628313

4-Forest Cream
2 m: Code: 1823 2394 - EAN: 3475710628481
4 m: Code: 1894 2394 - EAN: 3475710628337

5-Forest Gold
2 m: Code: 1823 2383 - EAN: 3475710624841
3 m: Code: 1904 2383 - EAN: 3475710624230
4 m: Code: 1894 2383 - EAN: 3475710623653


6-Forest Pang
2 m: Code: 1823 2386 - EAN: 3475710624872
3 m: Code: 1904 2386 - EAN: 3475710624261
4 m: Code: 1894 2386 - EAN: 3475710623691

7-Forest Birch
2 m: Code: 1823 2384 - EAN: 3475710624858
3 m: Code: 1904 2384 - EAN: 3475710624247
4 m: Code: 1894 2384 - EAN: 3475710623660

8-Forest Honey
2 m: Code: 1823 2385 - EAN: 3475710624865
3 m: Code: 1904 2385 - EAN: 3475710624254
4 m: Code: 1894 2385 - EAN: 3475710623677

texline nature

Wood



1-Noma Blanc
2 m: Code: 1823 0515 - EAN: 3475710652561
3 m: Code: 1904 0515 - EAN: 3475710652530
4 m: Code: 1894 0515 - EAN: 3475710652486




2-Noma Clear
2 m: Code: 1823 1727 - EAN: 3475710652578
3 m: Code: 1904 1727 - EAN: 3475710652547
4 m: Code: 1894 1727 - EAN: 3475710652493

3-Lodge Almond
2 m: Code: 1823 2371 - EAN: 3475710623882
3 m: Code: 1904 2371 - EAN: 3475710623868
4 m: Code: 1894 2371 - EAN: 3475710623516

4-Woodring Clear
2 m: Code: 1823 2387 - EAN: 3475710624889
3 m: Code: 1904 2387 - EAN: 3475710624278
4 m: Code: 1894 2387 - EAN: 3475710623707


5-Woodring Honey
2 m: Code: 1823 2388 - EAN: 3475710624896
3 m: Code: 1904 2388 - EAN: 3475710624285
4 m: Code: 1894 2388 - EAN: 3475710623714

6-Lodge Wenge
2 m: Code: 1823 2372 - EAN: 3475710624711
3 m: Code: 1904 2372 - EAN: 3475710624117
4 m: Code: 1894 2372 - EAN: 3475710623523




texline nature

Mineral



1



2

1-Hexa Cream
2 m: Code: 1823 2381 - EAN: 3475710624827
3 m: Code: 1904 2381 - EAN: 3475710624216
4 m: Code: 1894 2381 - EAN: 3475710623639

2-Etna Light
2 m: Code: 1823 2396 - EAN: 3475710628504
4 m: Code: 1894 2396 - EAN: 3475710628351

3-Confetti Beige
2 m: Code: 1823 2144 - EAN: 3475710652554
3 m: Code: 1904 2144 - EAN: 3475710652523
4 m: Code: 1894 2144 - EAN: 3475710652509



2381 - Hexa Cream

All Over



2245 - Konkret Melt



1




2

1-Konkret Melt
2 m: Code: 1823 2245 - EAN: 3475710624780
3 m: Code: 1904 2245 - EAN: 3475710624179
4 m: Code: 1894 2245 - EAN: 3475710623592


2-Konkret Dove
2 m: Code: 1823 2389 - EAN: 3475710624773
3 m: Code: 1904 2389 - EAN: 3475710624162
4 m: Code: 1894 2389 - EAN: 3475710623585

3-Madras Storm
2 m: Code: 1823 1734 - EAN: 3475710653964
3 m: Code: 1904 1734 - EAN: 3475710653247
4 m: Code: 1894 1734 - EAN: 3475710653230



New

3



New

3





28 2380 - Leone Charcoal

texline nature


All Over



1



2



3



2378 - Leone Desert



4

1-Leone Charcoal

2 m: Code: 1823 2380 - EAN: 3475710624810
 3 m: Code: 1904 2380 - EAN: 3475710624209
 4 m: Code: 1894 2380 - EAN: 3475710623622

2-Leone Greystone

2 m: Code: 1823 2379 - EAN: 3475710624803
 3 m: Code: 1904 2379 - EAN: 3475710624193
 4 m: Code: 1894 2379 - EAN: 3475710623615

3-Leone Desert

2 m: Code: 1823 2378 - EAN: 3475710624797
 3 m: Code: 1904 2378 - EAN: 3475710624186
 4 m: Code: 1894 2378 - EAN: 3475710623608

4-Osb Natural

2 m: Code: 1823 2373 - EAN: 3475710624728
 3 m: Code: 1904 2373 - EAN: 3475710624124
 4 m: Code: 1894 2373 - EAN: 3475710623530

29

texline nature

All Over





1-Smooth Tierra
2 m: Code: 1823 2376 - EAN: 3475710624759
3 m: Code: 1904 2376 - EAN: 3475710625633
4 m: Code: 1894 2376 - EAN: 3475710623561

2-Smooth Tearose
2 m: Code: 1823 2375 - EAN: 3475710624742
3 m: Code: 1904 2375 - EAN: 3475710624148
4 m: Code: 1894 2375 - EAN: 3475710623554

3-Smooth Eucalypto
2 m: Code: 1823 2374 - EAN: 3475710624735
3 m: Code: 1904 2374 - EAN: 3475710624131
4 m: Code: 1894 2374 - EAN: 3475710623547

4-Smooth Sand
2 m: Code: 1823 2377 - EAN: 3475710624766
3 m: Code: 1904 2377 - EAN: 3475710624155
4 m: Code: 1894 2377 - EAN: 3475710623578



Technical Characteristics

| Description | | | |
|-----------------------------|--------------|-------|-------|
| Total thickness | EN ISO 24346 | mm | 2.50 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.35 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 1675 |
| Width of sheet | EN ISO 24381 | m | 2/3/4 |
| Length of sheet | EN ISO 24341 | ml | ± 30 |

| Classification | | | |
|-----------------------------------------|--------------|-------|--------------|
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 15 |
| Room impact noise | NFS 31 074 | class | A |
| Fire rating - Classification | EN 13501-1 | class | Cfl-s1 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | R10 |

| Performances | | | |
|-----------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | 0.20 |
| Residual indentation (average value measured) | - | mm | ≤ 0.35 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Pureclean |
| Guarantee residential use | | year | 12 |

| Environment | | | |
|----------------------|----------------|-------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m³ | < 100 |
| French norm | - | - | A+ |
| Floorscore (US norm) | - | - | OK |

| CE Marking | | | |
|------------|----------|--------------|--|
| | EN 14041 | | |

Areas of use: domestic use



MADE IN
FRANCE



AF
AQ
ISO 9001
VERSION 2000
ISO 14001

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





HQR

EXCLUSIVE COLLECTION

THE DESIGN WAY
HIGH SEDUCTION HIGH TRAFFIC



Easy to lay
Product ready to lay, no preparation of the floor and no adhesive required: GFT takes up the unevenness of the existing floor.


Direct laying on ceramic
(if joints < 5mm width and 1mm depth)


Intensive/ High traffic
3.10 mm thick and 0.50 mm wearlayer hardwearing, suitable for domestic and semi commercial use.


Ultra comfortable
Acoustic and thermal insulation
Comfortable to walk on: its pliable fibres make it feel springy.

MADE IN
FRANCE



Scan and
discover
INTERIOR
DESIGNER


HQR

Nordic and Scandinavian look






Bleached, Grayed | Wood

Dark | Wood



- 1-Boutic Clear**
2 m: Code: 1373 2170 - EAN: 3475710464089
4 m: Code: 1393 2170 - EAN: 3475710463396
- 2-Lodge Milk**
2 m: Code: 1373 1439 - EAN: 3475710320996
3 m: Code: 1383 1439 - EAN: 3475710337192
4 m: Code: 1393 1439 - EAN: 3475710318221
- 3-Macchiato Pearl**
2 m: Code: 1373 2002 - EAN: 3475710371653
4 m: Code: 1393 2002 - EAN: 3475710371622
- 4-Boutic Light Grey**
2 m: Code: 1373 2169 - EAN: 3475710464072
4 m: Code: 1393 2169 - EAN: 3475710463389
- 5-Elegant White**
2 m: Code: 1373 1986 - EAN: 3475710369513
4 m: Code: 1393 1986 - EAN: 3475710369643



- 1-Timber Dark Grey**
2 m: Code: 1373 1818 - EAN: 3475710321603
4 m: Code: 1393 1818 - EAN: 3475710321504
- 2-Noma Cafe**
2 m: Code: 1373 0679 - EAN: 3475710321009
4 m: Code: 1393 0679 - EAN: 3475710318115
- 3-Elegant Grey**
2 m: Code: 1373 2005 - EAN: 3475710369964
4 m: Code: 1393 2005 - EAN: 3475710369957

HQR

Nordic and Scandinavian look

1-Boutic Medium

2 m: Code: 1373 2168 - EAN: 3475710464065
 4 m: Code: 1393 2168 - EAN: 3475710463372

2-Walden Brown

2 m: Code: 1373 1984 - EAN: 3475710369483
 4 m: Code: 1393 1984 - EAN: 3475710369612

3-Castle Brown

2 m: Code: 1373 1846 - EAN: 3475710466601
 4 m: Code: 1393 1846 - EAN: 3475710329746

4-Macchiato Brown

2 m: Code: 1373 2004 - EAN: 3475710371677
 4 m: Code: 1393 2004 - EAN: 3475710371646

5-Noma Pecan

2 m: Code: 1373 1442 - EAN: 3475710321047
 3 m: Code: 1383 1442 - EAN: 3475710337796
 4 m: Code: 1393 1442 - EAN: 3475710318122



1



2



3



2168 - Boutic Medium



4



5

6-Noma Kola

2 m: Code: 1373 1451 - EAN: 3475710321023
 3 m: Code: 1383 1451 - EAN: 3475710337147
 4 m: Code: 1393 1451 - EAN: 3475710318139

7-Boutic Naturel

2 m: Code: 1373 2171 - EAN: 3475710464096
 4 m: Code: 1393 2171 - EAN: 3475710463402

8-Castle Blond

2 m: Code: 1373 1802 - EAN: 3475710369940
 4 m: Code: 1393 1802 - EAN: 3475710329739

9-Macchiato Naturel

2 m: Code: 1373 2003 - EAN: 3475710371660
 4 m: Code: 1393 2003 - EAN: 3475710371639

10-Noma Nature

2 m: Code: 1373 1778 - EAN: 3475710321030
 3 m: Code: 1383 1778 - EAN: 3475710337154
 4 m: Code: 1393 1778 - EAN: 3475710318146

11-Walden Blond

2 m: Code: 1373 1985 - EAN: 3475710369490
 4 m: Code: 1393 1985 - EAN: 3475710369629

12-Timber Clear

2 m: Code: 1373 0720 - EAN: 3475710329784
 3 m: Code: 1383 0720 - EAN: 3475710331152
 4 m: Code: 1393 0720 - EAN: 3475710329760



6



7



8




9



10



11



0720 - Timber Clear

HQR

Delicate designs, sources of serenity




1-Rough Light Grey
2 m: Code: 1373 2225 - EAN: 3475710463464
4 m: Code: 1393 2225 - EAN: 3475710461422

2-Rough Taupe
2 m: Code: 1373 2218 - EAN: 3475710463570
4 m: Code: 1393 2218 - EAN: 3475710461330

3-Harlem Fer
2 m: Code: 1373 1876 - EAN: 3475710466595
4 m: Code: 1393 1876 - EAN: 3475710464867

4-Rough Chocolate
2 m: Code: 1373 2219 - EAN: 3475710463587
4 m: Code: 1393 2219 - EAN: 3475710461347




5-Harlem Clear
2 m: Code: 1373 1808 - EAN: 3475710320910
3 m: Code: 1383 1808 - EAN: 3475710337185
4 m: Code: 1393 1808 - EAN: 3475710320088

6-Harlem Light Grey
2 m: Code: 1373 1788 - EAN: 3475710320934
4 m: Code: 1393 1788 - EAN: 3475710318542


7-Harlem Blue
2 m: Code: 1373 1789 - EAN: 3475710320897
4 m: Code: 1393 1789 - EAN: 3475710318559

8-Harlem Dark
2 m: Code: 1373 1787 - EAN: 3475710320927
4 m: Code: 1393 1787 - EAN: 3475710318535



HQR

**Play on shades and material effects
and create your home according to your desires**



1-Sisal Cream
2 m: Code: 1373 2211 - EAN: 3475710463501
4 m: Code: 1393 2211 - EAN: 3475710461262

2-Sisal Grey
2 m: Code: 1373 2209 - EAN: 3475710463488
4 m: Code: 1393 2209 - EAN: 3475710461248

Technical Characteristics

| Description | | | |
|-----------------------------------------------|----------------|---------|--------------|
| Total thickness | EN ISO 24346 | mm | 3.10 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.50 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 2300 |
| Width of sheet | EN ISO 24381 | m | 2 / 3 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 25 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 16 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification | EN 13501-1 | class | Cfl-s1 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | R10 |
| Performances | | | |
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (average value measured) | EN ISO 24343-1 | mm | 0.20 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Pureclean |
| Guarantee residential use | | year | 15 |
| Guarantee commercial use | | year | 5 |
| Environment | | | |
| TVOC rate 28 days | EN ISO 16000-6 | µg/m³ | < 100 |
| French norm | - | - | A+ |
| CE Marking | | | |
| | EN 14041 | | |

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





nero_k tex

Realism and traffic-resistance
for a perfect stability



Ideal properties
for professional use



Installation
without glue



Good resistance
to indentation



Renovation installation



MADE IN
FRANCE



Scan and
discover
INTERIOR
DESIGNER

nerok tex


Wood




1-Elegant Chestnut
4 m: Code: 2798 2274 - EAN: 3475710527197



2-Elegant Tartufo
4 m: Code: 2798 2269 - EAN: 3475710527142




3-Azay Clear
4 m: Code: 2798 2369 - EAN: 3475710617874



4-Azay Light Brown
4 m: Code: 2798 2370 - EAN: 3475710617898

nerok tex

Wood



1-Sherwood Cappuccino
4 m: Code: 2798 2277 - EAN: 3475710527227

2-Sherwood Maple
4 m: Code: 2798 2298 - EAN: 3475710529894

3-Sherwood Cream
4 m: Code: 2798 2279 - EAN: 3475710527241

4-Sherwood Fog
4 m: Code: 2798 2275 - EAN: 3475710527203





5-Sherwood Nut
4 m: Code: 2798 2276 - EAN: 3475710527210

6-Sherwood Leather
4 m: Code: 2798 2278 - EAN: 3475710527234



nerok tex

All Over



1-Harlem Flanelle
4 m: Code: 2798 2299 - EAN: 3475710529900

2-Harlem Pearl
4 m: Code: 2798 2288 - EAN: 3475710527333

3-Harlem Goblin
4 m: Code: 2798 2281 - EAN: 3475710527265

4-Harlem Stone
4 m: Code: 2798 2280 - EAN: 3475710527258

5-Harlem Slate
4 m: Code: 2798 2282 - EAN: 3475710527272




6-Harlem Mercury
4 m: Code: 2798 2283 - EAN: 3475710527289

1-Harlem Blanched Almond
4 m: Code: 2798 2368 - EAN: 3475710617867


2-Harlem Powder
4 m: Code: 2798 2287 - EAN: 3475710527326

3-Harlem Tin
4 m: Code: 2798 2286 - EAN: 3475710527319

4-Harlem Mouse Grey
4 m: Code: 2798 2365 - EAN: 3475710617836



nerok tex
All Over



1-Harlem Mink
4 m: Code: 2798 2285 - EAN: 3475710527302
2-Harlem Colombe
4 m: Code: 2798 2284 - EAN: 3475710527296



Technical Characteristics

Description

| | | | |
|-----------------------------|--------------|-------|------|
| Total thickness | EN ISO 24346 | mm | 2.70 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.50 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 2000 |
| Width of sheet | EN ISO 24381 | m | 4 |
| Length of sheet | EN ISO 24341 | ml | ± 30 |

Classification

| | | | |
|-----------------------------------------|--------------|-------|---------------------|
| Norm / Product specification | - | - | EN 651 |
| Sound insulation | EN ISO 717/2 | dB | 14 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification | EN 13501-1 | class | C _{fl} -s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | R10 |

Performances

| | | | |
|------------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Dimensional stability (requirement) | EN ISO 23999 | % | ≤ 0.40 |
| Dimensional stability (average measured value) | - | % | 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.20 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Pureclean |
| Chemical products resistance | EN ISO 26987 | class | OK |
| Guarantee residential use | | year | 15 |
| Guarantee commercial use | | year | 5 |

Environment

| | | | |
|-------------------|----------------|-------------------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m ³ | < 100 |
| French norm | - | - | A+ |

CE Marking

| | | |
|----|----------|--|
| CE | EN 14041 | |
|----|----------|--|

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





texline

Without preparation...
Unroll... it's done !



Quick and easy to lay
No subfloor preparation / No glue



Direct laying on ceramic
(if joints < 5mm width
and 1mm depth)



Comfortable underfoot
Sound insulated, warmth underfoot







MADE IN
FRANCE



Scan and
discover
**INTERIOR
DESIGNER**



A bright and elegant selection for modern living spaces



1-Otelo Light Grey
2 m: Code: 1349 2303 - EAN: 3475710547867
4 m: Code: 1519 2303 - EAN: 3475710547706

2-Otelo Natural
2 m: Code: 1349 2304 - EAN: 3475710547874
3 m: Code: 1619 2304 - EAN: 3475710548048
4 m: Code: 1519 2304 - EAN: 3475710547713

3-Otelo White
2 m: Code: 1349 2302 - EAN: 3475710547850
4 m: Code: 1519 2302 - EAN: 3475710547690

4-Otelo Beige
2 m: Code: 1349 2306 - EAN: 3475710547898
4 m: Code: 1519 2306 - EAN: 3475710547737



5-Otelo Golden
2 m: Code: 1349 2305 - EAN: 3475710547881
3 m: Code: 1619 2305 - EAN: 3475710548055
4 m: Code: 1519 2305 - EAN: 3475710547720

6-Sherwood Blond
2 m: Code: 1349 2013 - EAN: 3475710375644
3 m: Code: 1619 2013 - EAN: 3475710392528
4 m: Code: 1519 2013 - EAN: 3475710375545

7-Noma Blond
2 m: Code: 1349 1731 - EAN: 3475710306372
3 m: Code: 1619 1731 - EAN: 3475710311826
4 m: Code: 1519 1731 - EAN: 3475710306365

8-Sherwood Brown
2 m: Code: 1349 2015 - EAN: 3475710375668
4 m: Code: 1519 2015 - EAN: 3475710375569

9-Noma Miel
2 m: Code: 1349 0476 - EAN: 3475710217838
3 m: Code: 1619 0476 - EAN: 3475710221118
4 m: Code: 1519 0476 - EAN: 3475710215766



texline

A bright and elegant selection for modern living spaces



1-Azay Beige

2 m: Code: 1349 2309 - EAN: 3475710547928
3 m: Code: 1619 2309 - EAN: 3475710548093
4 m: Code: 1519 2309 - EAN: 3475710547768

2-Azay Gold

2 m: Code: 1349 2307 - EAN: 3475710547904
3 m: Code: 1619 2307 - EAN: 3475710548079
4 m: Code: 1519 2307 - EAN: 3475710547744

3-Azay Light Grey

2 m: Code: 1349 2308 - EAN: 3475710547911
3 m: Code: 1619 2308 - EAN: 3475710548086
4 m: Code: 1519 2308 - EAN: 3475710547751



4-Noma Clear

2 m: Code: 1349 1727 - EAN: 3475710316203
3 m: Code: 1619 1727 - EAN: 3475710311833
4 m: Code: 1519 1727 - EAN: 3475710306181

5-Timber Light

2 m: Code: 1349 1749 - EAN: 3475710316227
3 m: Code: 1619 1749 - EAN: 3475710313080
4 m: Code: 1519 1749 - EAN: 3475710312977

6-Timber Classic

2 m: Code: 1349 1736 - EAN: 3475710311147
3 m: Code: 1619 1736 - EAN: 3475710311116
4 m: Code: 1519 1736 - EAN: 3475710311086

7-Timber Naturel

2 m: Code: 1349 1740 - EAN: 3475710313110
3 m: Code: 1619 1740 - EAN: 3475710313110
4 m: Code: 1519 1740 - EAN: 3475710313004

8-Hudson Blond



2 m: Code: 1349 1887 - EAN: 3475710337925
3 m: Code: 1619 1887 - EAN: 3475710359699
4 m: Code: 1519 1887 - EAN: 3475710336027

Bleached | Wood

Dark | Wood

texline

A bright and elegant selection for modern living spaces


**1-Sherwood White**
4 m: Code: 1519 2137 - EAN: 3475710425943**2-Hudson White**
2 m: Code: 1349 1879 - EAN: 3475710337864
3 m: Code: 1619 1879 - EAN: 3475710359668
4 m: Code: 1519 1879 - EAN: 3475710335921**3-Noma Blanc**
2 m: Code: 1349 0515 - EAN: 3475710221231
3 m: Code: 1619 0515 - EAN: 3475710262821
4 m: Code: 1519 0515 - EAN: 3475710216381**4-Sherwood Clear**
2 m: Code: 1349 2012 - EAN: 3475710375637
3 m: Code: 1619 2012 - EAN: 3475710414961
4 m: Code: 1519 2012 - EAN: 3475710375538**1-Sherwood Dark**
2 m: Code: 1349 2014 - EAN: 3475710375651
4 m: Code: 1519 2014 - EAN: 3475710375552

Grayed | Wood

Atypical | Wood

texline

A bright and elegant selection for modern living spaces

**1-Timber Grey**

2 m: Code: 1349 1751 - EAN: 3475710316210
3 m: Code: 1619 1751 - EAN: 3475710313103
4 m: Code: 1519 1751 - EAN: 3475710312991

2-Empire Blond

2 m: Code: 1349 2082 - EAN: 3475710396885
4 m: Code: 1519 2082 - EAN: 3475710392597

3-Sherwood Grey

2 m: Code: 1349 2017 - EAN: 3475710376580
4 m: Code: 1519 2017 - EAN: 3475710375613

4-Hudson Pearl

2 m: Code: 1349 1880 - EAN: 3475710337871
3 m: Code: 1619 1880 - EAN: 3475710362361
4 m: Code: 1519 1880 - EAN: 3475710335938

**1-Harbor Pearl**

2 m: Code: 1349 1901 - EAN: 3475710337918
3 m: Code: 1619 1901 - EAN: 3475710359712
4 m: Code: 1519 1901 - EAN: 3475710337529

2-Harbor Nature

2 m: Code: 1349 1900 - EAN: 3475710337901
3 m: Code: 1619 1900 - EAN: 3475710359705
4 m: Code: 1519 1900 - EAN: 3475710337512

3-Opera Naturel

2 m: Code: 1349 2155 - EAN: 3475710427725
4 m: Code: 1519 2155 - EAN: 3475710427671



texline

Modern and versatile floors for an aesthetic harmony




1-Gastown Mineral
2 m: Code: 1349 2311 - EAN: 3475710547942
4 m: Code: 1519 2311 - EAN: 3475710547782

2-Alma Grey
2 m: Code: 1349 2300 - EAN: 3475710547836
4 m: Code: 1519 2300 - EAN: 3475710547669



1-Provence Creme
2 m: Code: 1349 1955 - EAN: 3475710359279
3 m: Code: 1619 1955 - EAN: 3475710359781
4 m: Code: 1519 1955 - EAN: 3475710357183

2-Provence Black & White
2 m: Code: 1349 1981 - EAN: 3475710374517
4 m: Code: 1519 1981 - EAN: 3475710369278



texline

Modern and versatile floors for an aesthetic harmony



1-Basal White
2 m: Code: 1349 2312 - EAN: 3475710547959
3 m: Code: 1619 2312 - EAN: 3475710548123
4 m: Code: 1519 2312 - EAN: 3475710547799




2312 - Basal White



1949 - Fjord Light Grey



1



2

1-Fjord Light Grey
2 m: Code: 1349 1949 - EAN: 3475710355691
3 m: Code: 1619 1949 - EAN: 3475710359736
4 m: Code: 1519 1949 - EAN: 3475710355578

2-Fjord Black
2 m: Code: 1349 2011 - EAN: 3475710375620
3 m: Code: 1619 2011 - EAN: 3475710392511
4 m: Code: 1519 2011 - EAN: 3475710375521





Created to be different





1-Comete Light Grey
2 m: Code: 1349 2314 - EAN: 3475710547973
4 m: Code: 1519 2314 - EAN: 3475710547812

2-Comete Medium Grey
2 m: Code: 1349 2315 - EAN: 3475710547980
4 m: Code: 1519 2315 - EAN: 3475710547829



3-Confetti Beige
2 m: Code: 1349 2144 - EAN: 3475710426612
3 m: Code: 1619 2144 - EAN: 3475710427015
4 m: Code: 1519 2144 - EAN: 3475710426018




4-Terrazino Mineral
2 m: Code: 1349 2235 - EAN: 3475710464690
4 m: Code: 1519 2235 - EAN: 3475710463341





Created to be different



1734 - Madras Storm

1-Shade White
2 m: Code: 1349 2150 - EAN: 3475710426674
3 m: Code: 1619 2150 - EAN: 3475710427077
4 m: Code: 1519 2150 - EAN: 3475710426070

2-Madras Grey
2 m: Code: 1349 1051 - EAN: 3475710217302
3 m: Code: 1619 1051 - EAN: 3475710221163
4 m: Code: 1519 1051 - EAN: 3475710217296

3-Shade Light Grey
2 m: Code: 1349 2151 - EAN: 3475710426698
3 m: Code: 1619 2151 - EAN: 3475710427084
4 m: Code: 1519 2151 - EAN: 3475710426087

4-Madras Storm
2 m: Code: 1349 1734 - EAN: 3475710311123
3 m: Code: 1619 1734 - EAN: 3475710311093
4 m: Code: 1519 1734 - EAN: 3475710311062

5-Shade Grey
2 m: Code: 1349 2152 - EAN: 3475710426704
3 m: Code: 1619 2152 - EAN: 3475710427091
4 m: Code: 1519 2152 - EAN: 3475710426094

6-Madras Anthracite
2 m: Code: 1349 1735 - EAN: 3475710311130
3 m: Code: 1619 1735 - EAN: 3475710311109
4 m: Code: 1519 1735 - EAN: 3475710311079

7-Shade Anthracite
2 m: Code: 1349 2153 - EAN: 3475710426711
3 m: Code: 1619 2153 - EAN: 3475710427107
4 m: Code: 1519 2153 - EAN: 3475710426100

Technical Characteristics

Description

| | | | |
|-----------------------------|--------------|-------|-----------|
| Total thickness | EN ISO 24346 | mm | 2.90 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.35 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 2000 |
| Width of sheet | EN ISO 24381 | m | 2 / 3 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 25 |

Classification

| | | | |
|--------------------------------------------------------------|--------------|-------|--------------|
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 16 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification - Wood support loose laying | EN 13501-1 | class | Cfl-s1 |
| Fire rating - Classification - Wood support permanent laying | EN 13501-1 | class | Cfl-s1 |
| Slip resistance wet: ramp test with oil | DIN 51130 | class | R10 |

Performances

| | | | |
|-----------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | < 0.35 |
| Residual indentation (average value measured) | EN ISO 24343-1 | mm | 0.20 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | < 0.35 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Pureclean |
| Guarantee residential use | | year | 12 |

Environment

| | | | |
|----------------------|----------------|-------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m³ | < 100 |
| French norm | - | - | A+ |
| Floorscore (US norm) | - | - | OK |
| Agbb (German norm) | - | - | OK |

CE Marking

| | | |
|--|----------|--|
| | EN 14041 | |
|--|----------|--|

Areas of use: domestic use



MADE IN
FRANCE



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





loftex

The best of GFT technology
by GERFLOR



Easy looselay Installation



Easy to lay



Optimal comfort



High resistant



Direct laying on ceramic

(if joints < 3mm width
and 1mm depth)



MADE IN
FRANCE



Scan and
discover
INTERIOR
DESIGNER



Wood




1



2

2291 - Canopy Nutmeg



3



4



5

1-Boutic Clear
2 m: Code: 1023 2170 - EAN: 3475710436789
4 m: Code: 2494 2170 - EAN: 3475710431760

2-Boutic Light Grey
2 m: Code: 1023 2169 - EAN: 3475710436772
4 m: Code: 2494 2169 - EAN: 3475710431753

3-Canopy Sesame
2 m: Code: 1023 2290 - EAN: 3475710528750
4 m: Code: 2494 2290 - EAN: 3475710528477

4-Canopy Nutmeg
2 m: Code: 1023 2291 - EAN: 3475710528767
4 m: Code: 2494 2291 - EAN: 3475710528484

5-Canopy Hazelnut
2 m: Code: 1023 2289 - EAN: 3475710528743
4 m: Code: 2494 2289 - EAN: 3475710528460

6-Lux Natural
4 m: Code: 2494 2166 - EAN: 3475710431722

7-Boutic Medium
2 m: Code: 1023 2168 - EAN: 3475710436765
4 m: Code: 2494 2168 - EAN: 3475710431746

8-Boutic Golden
2 m: Code: 1023 2397 - EAN: 3475710631139
4 m: Code: 2494 2397 - EAN: 3475710631092

9-Lux Blond
2 m: Code: 1023 2167 - EAN: 3475710436918
3 m: Code: 2994 2167 - EAN: 3475710528590
4 m: Code: 2494 2167 - EAN: 3475710431739

10-Boutic Naturel
2 m: Code: 1023 2171 - EAN: 3475710436796
4 m: Code: 2494 2171 - EAN: 3475710431777


11-Noma Clear
2 m: Code: 1023 1727 - EAN: 3475710631122
4 m: Code: 2494 1727 - EAN: 3475710629747



6



7



8



9



10







11



2167 - Lux Blond



All Over & mineral



1-Provence Creme

2 m: Code: 1023 1955 - EAN: 3475710631115
4 m: Code: 2494 1955 - EAN: 3475710629730

2-Leone Uranus

2 m: Code: 1023 2294 - EAN: 3475710528798
4 m: Code: 2494 2294 - EAN: 3475710528514

3-Leone Metal

2 m: Code: 1023 2132 - EAN: 3475710436840
4 m: Code: 2494 2132 - EAN: 3475710431821

4-Nevada Light Grey


2 m: Code: 1023 2164 - EAN: 3475710436888
4 m: Code: 2494 2164 - EAN: 3475710431708

5-Nevada Cream

2 m: Code: 1023 2163 - EAN: 3475710436871
4 m: Code: 2494 2163 - EAN: 3475710431692

6-Leone Cream

2 m: Code: 1023 2135 - EAN: 3475710436857
4 m: Code: 2494 2135 - EAN: 3475710431838



2163 - Nevada Cream

Technical Characteristics

Description

| | | | |
|-----------------------------|--------------|-------|-------|
| Total thickness | EN ISO 24346 | mm | 2.50 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.30 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 1675 |
| Width of sheet | EN ISO 24381 | m | 2 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 30 |

Classification

| | | | |
|--------------------------------------------------------------|--------------|-------|---------------------|
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 15 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification - Wood support loose laying | EN 13501-1 | class | C _{fl} -s1 |
| Fire rating - Classification - Wood support permanent laying | EN 13501-1 | class | C _{fl} -s1 |
| Slip resistance wet: ramp test with oil | DIN 51130 | class | R10 |

Performances

| | | | |
|-----------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | < 0.35 |
| Residual indentation (average value measured) | EN ISO 24343-2 | mm | 0.20 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | > 6 |
| Surface treatment | - | - | Pureclean |
| Guarantee residential use | | year | 12 |

Environment

| | | | |
|-------------------|----------------|-------------------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m ³ | < 100 |
| French norm | - | - | A+ |
| Floorscore | - | - | OK |

CE Marking

| | | |
|----|----------|--|
| CE | EN 14041 | |
|----|----------|--|

Areas of use: domestic use



MADE IN
FRANCE



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





prime tex

- thick, + resistant
the best value for money



No glue
& non-tear!



Quick and easy to lay





Economical
Saves extra costs



prime^{tex}

Wood



1-Azay Cream
2 m: Code: 1368 2346 - EAN: 3475710608186
4 m: Code: 1548 2346 - EAN: 3475710607608

2-Azay Brown
2 m: Code: 1368 2347 - EAN: 3475710608193
4 m: Code: 1548 2347 - EAN: 3475710607622

3-Timber Golden
2 m: Code: 1368 2351 - EAN: 3475710608230
4 m: Code: 1548 2351 - EAN: 3475710607677

4-Cognac Scandi Oak
2 m: Code: 1368 2350 - EAN: 3475710608223
4 m: Code: 1548 2350 - EAN: 3475710607660



5-Cottage Natural
2 m: Code: 13682433 - EAN: 3475710659492
4 m: Code: 15482433 - EAN: 3475710659478

1-Timber Clear
2 m: Code: 1368 0720 - EAN: 3475710250637
3 m: Code: 1648 0720 - EAN: 3475710250699
4 m: Code: 1548 0720 - EAN: 3475710250521

2-Timber Medium
2 m: Code: 1368 0721 - EAN: 3475710250644
4 m: Code: 1548 0721 - EAN: 3475710250538

3-Cognac Blond
2 m: Code: 1368 2007 - EAN: 3475710372575
3 m: Code: 1648 2007 - EAN: 3475710395949
4 m: Code: 1548 2007 - EAN: 3475710374449

4-Cajou Honey
2 m: Code: 1368 1236 - EAN: 3475710250583
4 m: Code: 1548 1236 - EAN: 3475710250477



5-Cognac Pearl
2 m: Code: 1368 2006 - EAN: 3475710372568
3 m: Code: 1648 2006 - EAN: 3475710395932
4 m: Code: 1548 2006 - EAN: 3475710374432



6-Factory Pecan
2 m: Code: 1368 1533 - EAN: 3475710249891
3 m: Code: 1648 1533 - EAN: 3475710324772
4 m: Code: 1548 1533 - EAN: 3475710249839



Bleached, grayed | Wood

prime^{tex}

Wood



1-Lodge Milk
2 m: Code: 1368 1439 - EAN: 3475710557361
4 m: Code: 1548 1439 - EAN: 3475710557255

2-Newport Ivory
2 m: Code: 1368 2320 - EAN: 3475710557347
4 m: Code: 1548 2320 - EAN: 3475710557231


3-Newport Vinales
2 m: Code: 1368 2321 - EAN: 3475710557354
3 m: Code: 1648 2321 - EAN: 3475710557309
4 m: Code: 1548 2321 - EAN: 3475710557248

4-Empire Light
2 m: Code: 1368 2390 - EAN: 3475710628252
3 m: Code: 1648 2390 - EAN: 3475710628214
4 m: Code: 1548 2390 - EAN: 3475710628177

5-Elegant Golden
2 m: Code: 1368 2391 - EAN: 3475710628269
3 m: Code: 1648 2391 - EAN: 3475710628221
4 m: Code: 1548 2391 - EAN: 3475710628184



1-Cognac Blanc
2 m: Code: 1368 2068 - EAN: 3475710392115
4 m: Code: 1548 2068 - EAN: 3475710391026



2-Newport White
2 m: Code: 1368 1528 - EAN: 3475710249860
3 m: Code: 1648 1528 - EAN: 3475710317651
4 m: Code: 1548 1528 - EAN: 3475710249808



3-Noma Cloud
2 m: Code: 1368 2200 - EAN: 3475710546822
3 m: Code: 1648 2200 - EAN: 3475710472039
4 m: Code: 1548 2200 - EAN: 3475710441790



prime^{tex}

Wood



Dark | Wood

1-Fisherman Ocean
2 m: Code: 1368 1667 - EAN: 3475710300431
3 m: Code: 1648 1667 - EAN: 3475710374524
4 m: Code: 1548 1667 - EAN: 3475710300424



2-Fisherman Washed
2 m: Code: 1368 1728 - EAN: 3475710306334
3 m: Code: 1648 1728 - EAN: 3475710317644
4 m: Code: 1548 1728 - EAN: 3475710306143



Atypical | Wood

prime tex

Mineral

**1-Basal Haze**


2 m: Code: 1368 2392 - EAN: 3475710628276
3 m: Code: 1648 2392 - EAN: 3475710628238
4 m: Code: 1548 2392 - EAN: 3475710628191

2-Nice Stone

2 m: Code: 1368 2130 - EAN: 3475710443923
4 m: Code: 1548 2130 - EAN: 3475710419355

3-Damier Black & White


2 m: Code: 1368 0015 - EAN: 3475710557323
4 m: Code: 1548 0015 - EAN: 3475710557217



3

prime tex

All Over

**1-Confetti Emerald**

2 m: Code: 1368 2393 - EAN: 3475710628283
3 m: Code: 1648 2393 - EAN: 3475710628245
4 m: Code: 1548 2393 - EAN: 3475710628207

2-Cork Naturel


2 m: Code: 1368 0027
3 m: Code: 1648 0027
4 m: Code: 1548 0027

3-Bari Clear

2 m: Code: 1368 2407 - EAN: 3475710657221
4 m: Code: 1548 2407 - EAN: 3475710649370




2




3

prime^{tex}

All Over



1



2



3

1-Leone Clear


2 m: Code: 1368 2064 - EAN: 3475710392108
 3 m: Code: 1648 2064 - EAN: 3475710600289
 4 m: Code: 1548 2064 - EAN: 3475710389306

2-Leone Anthracite


2 m: Code: 1368 2133 - EAN: 3475710466632
 3 m: Code: 1648 2133 - EAN: 3475710528330
 4 m: Code: 1548 2133 - EAN: 3475710464874

3-Leone Powder

2 m: Code: 1368 2345 - EAN: 3475710608179
 4 m: Code: 1548 2345 - EAN: 3475710607592



1



2

1-Dune White

2 m: Code: 1368 1588
 4 m: Code: 1548 1588

2-Dune Grey

2 m: Code: 1368 1589
 3 m: Code: 1648 1589
 4 m: Code: 1548 1589




prime**tex**

All Over



1-Gravel Beige
2 m: Code: 1368 0711
3 m: Code: 1648 0711
4 m: Code: 1548 0711

2-Gravel Grey
2 m: Code: 1368 0712
3 m: Code: 1648 0712
4 m: Code: 1548 0712



Technical Characteristics

Description

| | | | |
|-----------------------------|--------------|-------|-----------|
| Total thickness | EN ISO 24346 | mm | 2.0 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.25 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 1390 |
| Width of sheet | EN ISO 24381 | m | 2 / 3 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 30 |

Classification

| | | | |
|--------------------------------------------------------------|--------------|-------|---------------------|
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 15 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification - Wood support loose laying | EN 13501-1 | class | C _{f1} -s1 |
| Fire rating - Classification - Wood support permanent laying | EN 13501-1 | class | C _{f1} -s1 |
| Slip resistance wet: ramp test with oil | DIN 51130 | class | R10 |

Performances

| | | | |
|-----------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | < 0.35 |
| Residual indentation (average value measured) | EN ISO 24343-1 | mm | 0.20 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | < 0.35 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Pureclean |
| Guarantee residential use | | year | 12 |

Environment

| | | | |
|----------------------|----------------|-------------------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m ³ | < 100 |
| French norm | - | - | A+ |
| Floorscore (US norm) | - | - | OK |
| Agbb (German norm) | - | - | OK |

CE Marking

| | | |
|--|----------|--|
| | EN 14041 | |
|--|----------|--|

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Vinyl backing Fully adhered

94. Nerok

104. Booster

116. Start

Vinyl backing rolls solutions

Gerflor 2025

Make the right choice!

| Fully adhered | | | | |
|----------------------|----------------------------------|--------------------------------------|-------------|---------|
| | NEROK | BOOSTER | START | |
| Subfloor preparation | With subfloor preparation | | | |
| | Thickness (mm) | 2.0 | 2.6 | 1.2 |
| | Traffic resistance | +++ | ++++ | ++ |
| | Wear layer thickness (mm) | 0.55 | 0.70 | 0.25 |
| | European classification | 33 / 42 | 34 / 43 | 22 |
| | Comfort | + | ++ | + |
| | Price | €€ | € | € |
| | Tools needed | Utility knife + carpet cutter + glue | | |
| | Sound insulation (dB) | 6 | 19 | 10 |
| | Underfloor heating compatibility | ✓ | ✓ | ✓ |
| | Domestic use guarantee* | 15 years | 10 years | 5 years |
| | Pets compatibility | ✓ | ✓ | ✓ |
| Page 94 | | Page 104 | Page 116 | |



* For more details on guarantee, see www.gerflor.com



nerok

Realism and traffic-resistance
for a perfect stability

Comfort & resistance



Installation with
acrylic glue



No indentation



Very high traffic
resistance



MADE IN
FRANCE



Scan and
discover
INTERIOR
DESIGNER

nerok

Wood

**1-Sherwood Clear**

Nerok 55 - 2 m: Code: 2813 2012 - EAN: 3475710554759
 Nerok 55 - 4 m: Code: 2812 2012 - EAN: 3475710552847
 Nerok 70 - 2 m: Code: 1238 2012 - EAN: 3475710552731
 Nerok 70 - 4 m: Code: 1237 2012 - EAN: 3475710551451

2-Sherwood Blond




Nerok 55 - 2 m: Code: 2813 2013 - EAN: 3475710554766
 Nerok 55 - 4 m: Code: 2812 2013 - EAN: 3475710552946
 Nerok 70 - 2 m: Code: 1238 2013 - EAN: 3475710552571
 Nerok 70 - 4 m: Code: 1237 2013 - EAN: 3475710551321

3-Sherwood Brown

Nerok 55 - 2 m: Code: 2813 2015 - EAN: 3475710554773
 Nerok 55 - 4 m: Code: 2812 2015 - EAN: 3475710552854
 Nerok 70 - 2 m: Code: 1238 2015 - EAN: 3475710552748
 Nerok 70 - 4 m: Code: 1237 2015 - EAN: 3475710551468

4-Sherwood Grey

Nerok 55 - 2 m: Code: 2813 2017 - EAN: 3475710554780
 Nerok 55 - 4 m: Code: 2812 2017 - EAN: 3475710552816
 Nerok 70 - 2 m: Code: 1238 2017 - EAN: 3475710552700
 Nerok 70 - 4 m: Code: 1237 2017 - EAN: 3475710551420

**5-Noma Kola**

Nerok 55 - 2 m: Code: 2813 1451 - EAN: 3475710554711
 Nerok 55 - 4 m: Code: 2812 1451 - EAN: 3475710553035
 Nerok 70 - 2 m: Code: 1238 1451 - EAN: 3475710552663
 Nerok 70 - 4 m: Code: 1237 1451 - EAN: 3475710551390

6-Chene Light

Nerok 55 - 2 m: Code: 2813 0669 - EAN: 3475710554674
 Nerok 55 - 4 m: Code: 2812 0669 - EAN: 3475710553028
 Nerok 70 - 2 m: Code: 1238 0669 - EAN: 3475710552656
 Nerok 70 - 4 m: Code: 1237 0669 - EAN: 3475710551383

7-Timber Grey

Nerok 55 - 2 m: Code: 2813 1751 - EAN: 3475710554735
 Nerok 55 - 4 m: Code: 2812 1751 - EAN: 3475710553059
 Nerok 70 - 2 m: Code: 1238 1751 - EAN: 3475710552694
 Nerok 70 - 4 m: Code: 1237 1751 - EAN: 3475710551413

8-Newport Natural

Nerok 55 - 2 m: Code: 2813 2245 - EAN: 3475710554957
 Nerok 55 - 4 m: Code: 2812 2245 - EAN: 3475710553134
 Nerok 70 - 2 m: Code: 1238 2245 - EAN: 3475710552212
 Nerok 70 - 4 m: Code: 1237 2245 - EAN: 3475710551208

9-Timber Clear

Nerok 55 - 2 m: Code: 2813 0720 - EAN: 3475710554698
 Nerok 55 - 4 m: Code: 2812 0720 - EAN: 3475710553158
 Nerok 70 - 2 m: Code: 1238 0720 - EAN: 3475710552236
 Nerok 70 - 4 m: Code: 1237 0720 - EAN: 3475710551222

10-Noma Miel


Nerok 55 - 2 m: Code: 2813 0476 - EAN: 3475710554612
 Nerok 55 - 4 m: Code: 2812 0476 - EAN: 3475710553011
 Nerok 70 - 2 m: Code: 1238 0476 - EAN: 3475710552649
 Nerok 70 - 4 m: Code: 1237 0476 - EAN: 3475710551376

11-Timber Cabana

Nerok 55 - 2 m: Code: 2813 0492 - EAN: 3475710554629
 Nerok 55 - 4 m: Code: 2812 0492 - EAN: 3475710553042
 Nerok 70 - 2 m: Code: 1238 0492 - EAN: 3475710552670
 Nerok 70 - 4 m: Code: 1237 0492 - EAN: 3475710551406

12-Oak Select Country

Nerok 55 - 2 m: Code: 2813 2242 - EAN: 3475710554933
 Nerok 55 - 4 m: Code: 2812 2242 - EAN: 3475710553165
 Nerok 70 - 2 m: Code: 1238 2242 - EAN: 3475710552243
 Nerok 70 - 4 m: Code: 1237 2242 - EAN: 3475710551239



Vinyl backing rolls
Fully adhered

Bleached, grayed | Wood

nerok Wood



1



2



3



4



1518 - Factory White

1-Factory White

Nerok 55 - 2 m: Code: 2813 1518 - EAN: 3475710554728
Nerok 55 - 4 m: Code: 2812 1518 - EAN: 3475710552823
Nerok 70 - 2 m: Code: 1238 1518 - EAN: 3475710552717
Nerok 70 - 4 m: Code: 1237 1518 - EAN: 3475710551437

2-Newport Clear

Nerok 55 - 2 m: Code: 2813 2244 - EAN: 3475710554940
Nerok 55 - 4 m: Code: 2812 2244 - EAN: 3475710553141
Nerok 70 - 2 m: Code: 1238 2244 - EAN: 3475710552229
Nerok 70 - 4 m: Code: 1237 2244 - EAN: 3475710551215

3-Oak Select Grey

Nerok 55 - 2 m: Code: 2813 1430 - EAN: 3475710554704
Nerok 55 - 4 m: Code: 2812 1430 - EAN: 3475710553172
Nerok 70 - 2 m: Code: 1238 1430 - EAN: 3475710552250
Nerok 70 - 4 m: Code: 1237 1430 - EAN: 3475710551246


4-Harbor Blue

Nerok 55 - 2 m: Code: 2813 1893 - EAN: 3475710554742
Nerok 55 - 4 m: Code: 2812 1893 - EAN: 3475710552830
Nerok 70 - 2 m: Code: 1238 1893 - EAN: 3475710552724
Nerok 70 - 4 m: Code: 1237 1893 - EAN: 3475710551444


nerok All Over




2153 - Shade Anthracite



1



2



3



4



5

Vinyl backing rolls
Fully adhered

1-Shade Light Grey

Nerok 55 - 2 m: Code: 2813 2151 - EAN: 3475710554841
Nerok 55 - 4 m: Code: 2812 2151 - EAN: 3475710552953
Nerok 70 - 2 m: Code: 1238 2151 - EAN: 3475710537950
Nerok 70 - 4 m: Code: 1237 2151 - EAN: 3475710537929

2-Shade Grey

Nerok 55 - 2 m: Code: 2813 2152 - EAN: 3475710554858
Nerok 55 - 4 m: Code: 2812 2152 - EAN: 3475710552922
Nerok 70 - 2 m: Code: 1238 2152 - EAN: 3475710537936
Nerok 70 - 4 m: Code: 1237 2152 - EAN: 3475710537905

3-Shade Anthracite

Nerok 55 - 2 m: Code: 2813 2153 - EAN: 3475710554865
Nerok 55 - 4 m: Code: 2812 2153 - EAN: 3475710552939
Nerok 70 - 2 m: Code: 1238 2153 - EAN: 3475710537943
Nerok 70 - 4 m: Code: 1237 2153 - EAN: 3475710537912

4-Brooklyn Silver

Nerok 55 - 2 m: Code: 2813 2253 - EAN: 3475710554971
Nerok 55 - 4 m: Code: 2812 2253 - EAN: 3475710553110
Nerok 70 - 2 m: Code: 1238 2253 - EAN: 3475710552199
Nerok 70 - 4 m: Code: 1237 2253 - EAN: 3475710551185

5-Brooklyn Blue

Nerok 55 - 2 m: Code: 2813 2249 - EAN: 3475710554964
Nerok 55 - 4 m: Code: 2812 2249 - EAN: 3475710553127
Nerok 70 - 2 m: Code: 1238 2249 - EAN: 3475710552205
Nerok 70 - 4 m: Code: 1237 2249 - EAN: 3475710551192

nerok

All Over



1



2



3



4



5



6

1-Leone Cream

Nerok 55 - 2 m: Code: 2813 2135 - EAN: 3475710554834
Nerok 55 - 4 m: Code: 2812 2135 - EAN: 3475710553066
Nerok 70 - 2 m: Code: 1238 2135 - EAN: 3475710538230
Nerok 70 - 4 m: Code: 1237 2135 - EAN: 3475710537851

2-Leone Mouse

Nerok 55 - 2 m: Code: 2813 2131 - EAN: 3475710554797
Nerok 55 - 4 m: Code: 2812 2131 - EAN: 3475710553073
Nerok 70 - 2 m: Code: 1238 2131 - EAN: 3475710538247
Nerok 70 - 4 m: Code: 1237 2131 - EAN: 3475710537868

3-Pixel Clear

Nerok 55 - 2 m: Code: 2813 2175 - EAN: 3475710554872
Nerok 55 - 4 m: Code: 2812 2175 - EAN: 3475710552861
Nerok 70 - 2 m: Code: 1238 2175 - EAN: 3475710552755
Nerok 70 - 4 m: Code: 1237 2175 - EAN: 3475710551475

4-Pixel Silver

Nerok 55 - 2 m: Code: 2813 0597 - EAN: 3475710554636
Nerok 55 - 4 m: Code: 2812 0597 - EAN: 3475710552960
Nerok 70 - 2 m: Code: 1238 0597 - EAN: 3475710552588
Nerok 70 - 4 m: Code: 1237 0597 - EAN: 3475710551338

5-Pixel Sand

Nerok 55 - 2 m: Code: 2813 0639 - EAN: 3475710554667
Nerok 55 - 4 m: Code: 2812 0639 - EAN: 3475710552991
Nerok 70 - 2 m: Code: 1238 0639 - EAN: 3475710552632
Nerok 70 - 4 m: Code: 1237 0639 - EAN: 3475710551369

6-Pixel Vanilla

Nerok 55 - 2 m: Code: 2813 0621 - EAN: 3475710554643
Nerok 55 - 4 m: Code: 2812 0621 - EAN: 3475710552977
Nerok 70 - 2 m: Code: 1238 0621 - EAN: 3475710552595
Nerok 70 - 4 m: Code: 1237 0621 - EAN: 3475710551345

7-Leone Metal

Nerok 55 - 2 m: Code: 2813 2132 - EAN: 3475710554803
Nerok 55 - 4 m: Code: 2812 2132 - EAN: 3475710553080
Nerok 70 - 2 m: Code: 1238 2132 - EAN: 3475710538254
Nerok 70 - 4 m: Code: 1237 2132 - EAN: 3475710537875

8-Leone Anthracite


Nerok 55 - 2 m: Code: 2813 2133 - EAN: 3475710554810
Nerok 55 - 4 m: Code: 2812 2133 - EAN: 3475710553097
Nerok 70 - 2 m: Code: 1238 2133 - EAN: 3475710538261
Nerok 70 - 4 m: Code: 1237 2133 - EAN: 3475710537882

9-Leone Brown


Nerok 55 - 2 m: Code: 2813 2134 - EAN: 3475710554827
Nerok 55 - 4 m: Code: 2812 2134 - EAN: 3475710553103
Nerok 70 - 2 m: Code: 1238 2134 - EAN: 3475710538278
Nerok 70 - 4 m: Code: 1237 2134 - EAN: 3475710537899



2131 - Leone Mouse



7



8



9

nerok

All Over

1-Pixel Taupe

Nerok 55 - 2 m: Code: 2813 2176 - EAN: 3475710554889
 Nerok 55 - 4 m: Code: 2812 2176 - EAN: 3475710552878
 Nerok 70 - 2 m: Code: 1238 2176 - EAN: 3475710552762
 Nerok 70 - 4 m: Code: 1237 2176 - EAN: 3475710551482

2-Pixel Anthracite

Nerok 55 - 2 m: Code: 2813 0632 - EAN: 3475710554650
 Nerok 55 - 4 m: Code: 2812 0632 - EAN: 3475710552984
 Nerok 70 - 2 m: Code: 1238 0632 - EAN: 3475710552625
 Nerok 70 - 4 m: Code: 1237 0632 - EAN: 3475710551352

3-Pixel Black

Nerok 55 - 2 m: Code: 2813 2179 - EAN: 3475710554902
 Nerok 55 - 4 m: Code: 2812 2179 - EAN: 3475710552892
 Nerok 70 - 2 m: Code: 1238 2179 - EAN: 3475710552786
 Nerok 70 - 4 m: Code: 1237 2179 - EAN: 3475710551505

4-Pixel Paprika

Nerok 55 - 2 m: Code: 2813 2178 - EAN: 3475710554896
 Nerok 55 - 4 m: Code: 2812 2178 - EAN: 3475710552885
 Nerok 70 - 2 m: Code: 1238 2178 - EAN: 3475710552779
 Nerok 70 - 4 m: Code: 1237 2178 - EAN: 3475710551499

5-Pixel Meadow

Nerok 55 - 2 m: Code: 2813 2181 - EAN: 3475710554919
 Nerok 55 - 4 m: Code: 2812 2181 - EAN: 3475710552908
 Nerok 70 - 2 m: Code: 1238 2181 - EAN: 3475710552793
 Nerok 70 - 4 m: Code: 1237 2181 - EAN: 3475710551512

6-Pixel Ocean

Nerok 55 - 2 m: Code: 2813 2182 - EAN: 3475710554926
 Nerok 55 - 4 m: Code: 2812 2182 - EAN: 3475710552915
 Nerok 70 - 2 m: Code: 1238 2182 - EAN: 3475710552809
 Nerok 70 - 4 m: Code: 1237 2182 - EAN: 3475710551529



Technical Characteristics

| | Nerok 55 | Nerok 70 | |
|---------------------------------------------------------|----------------|-------------------|--------------|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 2.00 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.55 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 2560 |
| Width of sheet | EN ISO 24341 | m | 2 / 4 |
| Length of sheet | EN ISO 24341 | ml | 20 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| Fire rating | EN 13501-1 | class | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance | DIN 51 130 | class | R10 |
| Performances | | | |
| Wear resistance | EN 660-2 | mm ³ | ≤ 2.0 |
| Wear group | - | group | T |
| Type binder content | EN 10582 | type | I |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | ≤ 0.10 |
| Residual indentation (measure) | - | mm | ≈ 0.05 |
| Impact sound insulation | EN ISO 717-2 | dB | 6 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | PUR+ |
| Chemical products resistance | EN ISO 26987 | class | OK |
| Guarantee residential use | - | year | 15 |
| Environment | | | |
| TVOC rate 28 days | EN ISO 16000-6 | µg/m ³ | < 100 |
| Certification | - | - | Floorscore® |
| CE Marking | | | |
| | EN 14041 | | |
| Areas of use: domestic use & semi-commercial | | | |
| | | | |

Vinyl backing rolls
Fully adhered

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





booster



Comfortable



Economical



Installation with acrylic glue



**MADE IN
FRANCE**



Scan and
discover
**INTERIOR
DESIGNER**

booster

Wood

1-Jersey Clear

2 m: Code: 1371 1894 - EAN: 3475710337956
4 m: Code: 1391 1894 - EAN: 3475710336638

2-Castle White

2 m: Code: 1371 1801 - EAN: 3475710430121
4 m: Code: 1391 1801 - EAN: 3475710430039

3-Castle Clear

2 m: Code: 1371 1918 - EAN: 3475710430107
4 m: Code: 1391 1918 - EAN: 3475710430015

4-Empire Classic

2 m: Code: 1371 2090 - EAN: 3475710556982
3 m: Code: 1353 2090 - EAN: 3475710557071
4 m: Code: 1391 2090 - EAN: 3475710552557

5-Hudson Blond

2 m: Code: 1371 1887 - EAN: 3475710357336
3 m: Code: 1353 1887 - EAN: 3475710352928
4 m: Code: 1391 1887 - EAN: 3475710357282

6-Boston Blond

2 m: Code: 1371 1618 - EAN: 3475710316807
3 m: Code: 1353 1618 - EAN: 3475710352874
4 m: Code: 1391 1618 - EAN: 3475710317071

7-Farm Pecan




2 m: Code: 1371 1393 - EAN: 3475710319808
4 m: Code: 1391 1393 - EAN: 3475710303043

8-Santafe Pearl

2 m: Code: 1371 1873 - EAN: 3475710337932
4 m: Code: 1391 1873 - EAN: 3475710334771

9-Hudson Pearl

2 m: Code: 1371 1880 - EAN: 3475710357343
3 m: Code: 1353 1880 - EAN: 3475710352935
4 m: Code: 1391 1880 - EAN: 3475710357299



Vinyl backing rolls
Fully adhered

booster

Wood



1



2


1-Lodge Clear
2 m: Code: 1371 2354 - EAN: 3475710608261
4 m: Code: 1391 2354 - EAN: 3475710607745

2-Toronto Clair
2 m: Code: 1371 0762 - EAN: 3475710359545
4 m: Code: 1391 0762 - EAN: 3475710358937


3-Sherwood Nature
2 m: Code: 1371 2318 - EAN: 3475710557019
3 m: Code: 1353 2318 - EAN: 3475710557088
4 m: Code: 1391 2318 - EAN: 3475710552564

4-Boston Honey
2 m: Code: 1371 1167 - EAN: 3475710628146
3 m: Code: 1353 1167 - EAN: 3475710628085
4 m: Code: 1391 1167 - EAN: 3475710628054

5-Sherwood Light Brown
2 m: Code: 1371 2353 - EAN: 3475710608254
4 m: Code: 1391 2353 - EAN: 3475710607721



3



4



5



2318 - Sherwood Nature





2216 - Seaside Blue



1-Seaside Blue
2 m: Code: 1371 2216 - EAN: 3475710606748
4 m: Code: 1391 2216 - EAN: 3475710562921


2-Sherwood Sweet
2 m: Code: 1371 1166 - EAN: 3475710628139
3 m: Code: 1353 1166 - EAN: 3475710628078
4 m: Code: 1391 1166 - EAN: 3475710628047

3-Empire Blond
4 m: Code: 1391 2082 - EAN: 3475710446740



booster

All Over



2151 - Shade Light Grey

2352 - Confetti Light Grey

1-Madras White
2 m: Code: 1371 1479 - EAN: 3475710430169
3 m: Code: 1353 1479 - EAN: 3475710441530
4 m: Code: 1391 1479 - EAN: 3475710430084

2-Madras Storm
2 m: Code: 1371 1734 - EAN: 3475710430152
3 m: Code: 1353 1734 - EAN: 3475710441523
4 m: Code: 1391 1734 - EAN: 3475710430077

3-Broadway Storm
2 m: Code: 1399 1595 - EAN: 3475710362064
4 m: Code: 1397 1595 - EAN: 3475710357800

4-Madras Silver
2 m: Code: 1385 1593 - EAN: 3475710361616
4 m: Code: 1375 1593 - EAN: 3475710362231

5-Shade Light Grey
2 m: Code: 1371 2151 - EAN: 3475710557026
3 m: Code: 1353 2151 - EAN: 3475710557095
4 m: Code: 1391 2151 - EAN: 3475710557040

6-Confetti Light Grey
2 m: Code: 1371 2352 - EAN: 3475710608247
3 m: Code: 1353 2352 - EAN: 3475710652905
4 m: Code: 1391 2352 - EAN: 3475710607714

Vinyl backing rolls
Fully adhered

booster

Ceramic



1-Alma Peps
2 m: Code: 1371 2317 - EAN: 3475710556999
3 m: Code: 1353 2317 - EAN: 3475710557064
4 m: Code: 1391 2317 - EAN: 3475710552540

2-Luna Grey
2 m: Code: 1371 2406 - EAN: 3475710656231
4 m: Code: 1391 2406 - EAN: 3475710649363

3-Iron
2 m: Code: 1399 2404 - EAN: 3475710648441
4 m: Code: 1397 2404 - EAN: 3475710648427



2317 - Alma Peps




1-Provence Black & White
2 m: Code: 1371 1981 - EAN: 3475710414176
3 m: Code: 1353 1981 - EAN: 3475710471971
4 m: Code: 1391 1981 - EAN: 3475710373299

2-Cordoba Black & White
2 m: Code: 1371 2226 - EAN: 3475710463662
4 m: Code: 1391 2226 - EAN: 3475710463150



1981 - Provence Black & White



2226 - Cordoba Black & White



2404 - Iron



New

New

booster

Ceramic

1-Volcano Light Grey

2 m: Code: 1371 2186 - EAN: 3475710432415

4 m: Code: 1391 2186 - EAN: 3475710432354

2-Basal Mouse

2 m: Code: 13711168 - EAN: 3475710628153

3 m: Code: 13531168 - EAN: 3475710628092

4 m: Code: 13911168 - EAN: 3475710628061



Technical Characteristics

| | Diamalite | Diam. Grain | Pureclean |
|--------------------------------------------------------------|----------------|-------------|---------------------------------|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 2.60 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.25 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 1500 1725 |
| Width of sheet | EN ISO 24381 | m | 2 / 3 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 30 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 19 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification - Wood support permanent laying | EN 13501-1 | class | Cfl-s1 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | - R10 |
| Performances | | | |
| Wear group | EN 660-2 | group | T |
| Dimensional stability after exposure to heat | EN ISO 23999 | % | 0.05 |
| Residual indentation (average value measured) | EN ISO 24343-1 | mm | 0.25 |
| Residual indentation (requirement) | EN ISO 24343-2 | mm | < 0.35 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | > 6 |
| Surface treatment | - | - | Diamalite Diam. Grain Pureclean |
| Guarantee | | year | 10 |
| Environment | | | |
| TVOC rate 28 days | EN ISO 16000-6 | µg/m³ | < 100 |
| French norm | - | - | A+ |
| Floorscore (US norm) | - | - | OK |
| CE Marking | | | |
| | EN 14041 | | |
| Areas of use: domestic use | | | |
| | | | |
| | | | |

SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





start



Comfortable



Economical



Installation with acrylic glue



**MADE IN
FRANCE**

start

1-Manitoba Erable
4 m: Code: 1838 0046 - EAN: 3475710103483

2-Ardentes Noyer
4 m: Code: 1840 0025 - EAN: 3475710037115

3-Turku Clair
4 m: Code: 1840 0381 - EAN: 3475710081194



4-Cajou Oak
4 m: Code: 1840 1150 - EAN: 3475710223341

5-Noma Clear
2 m: Code: 1270 1727 - EAN: 3475710561245
4 m: Code: 1840 1727 - EAN: 3475710561221





1-Gravel Beige
2 m: Code: 1270 0711 - EAN: 3475710168581
4 m: Code: 1840 0711 - EAN: 3475710168543

2-Silice Gris
2 m: Code: 1270 0011 - EAN: 3475710089244
3 m: Code: 1774 0011 - EAN: 3475710089237
4 m: Code: 1840 0011 - EAN: 3475710089220

3-Biarritz Acier
4 m: Code: 1840 1108 - EAN: 3475710186172

Vinyl backing rolls
Fully adhered

start



1-Damier Black & White
2 m: Code: 1276 0015 - EAN: 3475710166662
3 m: Code: 1774 0115 - EAN: 3475710089299
4 m: Code: 1840 0115 - EAN: 3475710089282



2-Marl Grey
2 m: Code: 12701582 - EAN: 3475710256097
3 m: Code: 17741582 - EAN: 3475710256080
4 m: Code: 18401582 - EAN: 3475710256073

3-Harlem Beige
2 m: Code: 1270 1791 - EAN: 3475710561238
4 m: Code: 1840 1791 - EAN: 3475710561214

Technical Characteristics

Description

| | | | |
|-----------------------------|--------------|-------|-----------|
| Total thickness | EN ISO 24346 | mm | 1.20 |
| Wearlayer thickness | EN ISO 24340 | mm | 0.15 |
| Weight / Mass per unit area | EN ISO 23997 | g/sqm | 1075 |
| Width of sheet | EN ISO 24381 | m | 2 / 3 / 4 |
| Length of sheet | EN ISO 24341 | ml | ± 35 |

Classification

| | | | |
|-----------------------------------------------------------------|--------------|-------|---------------------|
| Norm / Product specification | - | - | EN ISO 26986 |
| Sound insulation | EN ISO 717/2 | dB | 10 |
| Room impact noise | NF S 31074 | class | A |
| Fire rating - Classification - Wood support permanent laying | EN 13501-1 | class | B _{fl} -s1 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | - |

Performances

| | | | |
|-----------------------------------------------|----------------|---------|-----------|
| Wear group | EN 660-2 | group | T |
| Residual indentation (average value measured) | EN ISO 24343-1 | mm | - |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN 20 105-B02 | degree | > 6 |
| Surface treatment | - | - | Diamalite |
| Guarantee | | year | 5 |

Environment

| | | | |
|-------------------|----------------|-------|-------|
| TVOC rate 28 days | EN ISO 16000-6 | µg/m³ | < 100 |
| French norm | - | - | A+ |

CE Marking

| | | |
|----|----------|--|
| CE | EN 14041 | |
|----|----------|--|

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Index

| Range | Design color | Design color code | Design | Size of the design | Alternative laying | Pattern repeat | Page |
|---------|------------------------|-------------------|----------|-------------------------|--------------------|----------------|------|
| BOOSTER | Alma Peps | 13912317 | Tile | 25x25 | no | 1000x1000 | 112 |
| BOOSTER | Basal Mouse | 13911168 | Tile | 33,3x66,6 | no | 1333x1000 | 114 |
| BOOSTER | Boston Blond | 139111618 | Wood | 10x100 | no | 1000x1000 | 107 |
| BOOSTER | Boston Honey | 13911167 | Wood | 100x10 | no | 1000x1000 | 108 |
| BOOSTER | Broadway Storm | 13971595 | All Over | - | yes | 1000x1000 | 110 |
| BOOSTER | Castle Clear | 13911918 | Wood | 20x133,3 | no | 1333x1000 | 107 |
| BOOSTER | Castle White | 13911801 | Wood | 20x133,3 | no | 1333x1000 | 107 |
| BOOSTER | Confetti Light Grey | 13912352 | All Over | - | yes | 1000x1000 | 111 |
| BOOSTER | Cordoba Black & White | 13912226 | Tile | 25X25 | yes | 1000x1000 | 113 |
| BOOSTER | Empire Blond | 13912082 | Wood | 20x133 | no | 1333x1000 | 109 |
| BOOSTER | Empire Classic | 13912090 | Wood | 20x133 | no | 1333x1000 | 107 |
| BOOSTER | Farm Pecan | 13911393 | Wood | 16,7x100 | no | 1000x1000 | 107 |
| BOOSTER | Hudson Blond | 13911887 | Wood | 20x133,3 | no | 1333x1000 | 107 |
| BOOSTER | Hudson Pearl | 13911880 | Wood | 20x133,3 | no | 1333x1000 | 107 |
| BOOSTER | Iron | 13972404 | Graphic | - | no | 1000x1000 | 112 |
| BOOSTER | Jersey Clear | 13911894 | Wood | 20x133,3 | no | 1333x1000 | 107 |
| BOOSTER | Lodge Clear | 13912354 | Wood | 5,5x100 | no | 1000x1000 | 108 |
| BOOSTER | Luna Grey | 13912406 | Tile | 50x50 | no | 1000x1000 | 112 |
| BOOSTER | Madras Silver | 13751593 | All Over | - | yes | 0x0 | 110 |
| BOOSTER | Madras Storm | 13911734 | All Over | - | yes | 0x0 | 110 |
| BOOSTER | Madras White | 13911479 | All Over | - | yes | 0x0 | 110 |
| BOOSTER | Provence Black & White | 13911981 | Tile | 20x20 | no | 1000x1000 | 113 |
| BOOSTER | Santafe Pearl | 13911873 | Wood | 10x33/67/100 | no | 1333x1000 | 107 |
| BOOSTER | Seaside Blue | 13912216 | Wood | 500x100 | no | 1000X1000 | 109 |
| BOOSTER | Shade Light Grey | 13912151 | All Over | 0 | yes | 1000x1000 | 110 |
| BOOSTER | Sherwood Light Brown | 13912353 | Wood | 25x133 | no | 1333x1000 | 108 |
| BOOSTER | Sherwood Nature | 13912318 | Wood | 25x133 | no | 1333x1000 | 108 |
| BOOSTER | Sherwood Sweet | 13911166 | Wood | 25x133,3 | no | 1333x1000 | 109 |
| BOOSTER | Toronto Clair | 13910762 | Wood | 16,8x133,3 | no | 1333x1000 | 108 |
| BOOSTER | Volcano Light Grey | 13912186 | Tile | 50x25 | no | 1000x1000 | 114 |
| HQR | Boutic Clear | 13932170 | Wood | 133,3x20 | no | 1333X1000 | 34 |
| HQR | Boutic Light Grey | 13932169 | Wood | 133,3x20 | no | 1333X1000 | 34 |
| HQR | Boutic Medium | 13932168 | Wood | 133,3x20 | no | 1333X1000 | 36 |
| HQR | Boutic Naturel | 13932171 | Wood | 133,3x20 | no | 1333X1000 | 37 |
| HQR | Castle Blond | 13931802 | Wood | 133,3x20 | no | 1333X1000 | 37 |
| HQR | Castle Brown | 13931846 | Wood | 133,3x20 | no | 1333X1000 | 36 |
| HQR | Elegant Grey | 13932005 | Wood | 20x100 | no | 1333X1000 | 35 |
| HQR | Elegant White | 13931986 | Wood | 20x100 | no | 1333X1000 | 34 |
| HQR | Harlem Blue | 13931789 | All Over | - | yes | 1000x1000 | 39 |
| HQR | Harlem Clear | 13931808 | All Over | - | yes | 1000x1000 | 39 |
| HQR | Harlem Dark | 13931787 | All Over | - | yes | 1000x1000 | 39 |
| HQR | Harlem Fer | 13931876 | All Over | - | yes | 1000X1000 | 38 |
| HQR | Harlem Light Grey | 13931788 | All Over | - | yes | 1000x1000 | 39 |
| HQR | Lodge Milk | 13931439 | Wood | 5,5x100 | no | 1000x1000 | 34 |
| HQR | Macchiato Brown | 13932004 | Wood | 16,6x100 | no | 1000x1000 | 36 |
| HQR | Macchiato Naturel | 13932003 | Wood | 16,6x100 | no | 1000x1000 | 37 |
| HQR | Macchiato Pearl | 13932002 | Wood | 16,6x100 | no | 1000x1000 | 34 |
| HQR | Noma Cafe | 13930679 | Wood | 16,6x100 | no | 1000x1000 | 35 |
| HQR | Noma Kola | 13931451 | Wood | 16,6x100 | no | 1000x1000 | 37 |
| HQR | Noma Nature | 13931778 | Wood | 16,6x100 | no | 1000x1000 | 37 |
| HQR | Noma Pecan | 13931442 | Wood | 16,6x100 | no | 1000x1000 | 36 |
| HQR | Rough Chocolate | 13932219 | All Over | 0 | yes | 1000X1000 | 38 |
| HQR | Rough Light Grey | 13932225 | All Over | 0 | yes | 1000X1000 | 38 |
| HQR | Rough Taupe | 13932218 | All Over | 0 | yes | 1000X1000 | 38 |
| HQR | Sisal Cream | 13932211 | All Over | 0 | no | 1000X1000 | 40 |
| HQR | Sisal Grey | 13932209 | All Over | 0 | no | 1000X1000 | 40 |
| HQR | Timber Clear | 13930720 | Wood | 16x100 | no | 1000x1000 | 37 |
| HQR | Timber Dark Grey | 13931818 | Wood | 16x100 | no | 1000x1000 | 35 |
| HQR | Walden Blond | 13931985 | Wood | 12,5/16,8/20/14,3x133,3 | no | 1333x1000 | 37 |
| HQR | Walden Brown | 13931984 | Wood | 12,5/16,8/20/14,3x133,3 | no | 1333x1000 | 36 |
| LOFTEX | Boutic Clear | 24942170 | Wood | 133,3x20 | no | 1333X1000 | 72 |
| LOFTEX | Boutic Golden | 24942397 | Wood | 133,3x20 | no | 1333X1000 | 73 |
| LOFTEX | Boutic Light Grey | 24942169 | Wood | 133,3x20 | no | 1333X1000 | 72 |
| LOFTEX | Boutic Medium | 24942168 | Wood | 133,3x20 | no | 1333X1000 | 73 |
| LOFTEX | Boutic Naturel | 24942171 | Wood | 133,3x20 | no | 1333X1000 | 73 |
| LOFTEX | Canopy Hazelnut | 24942289 | Wood | - | | 72 | |
| LOFTEX | Canopy Nutmeg | 24942291 | Wood | - | | 72 | |
| LOFTEX | Canopy Sesame | 24942290 | Wood | - | | 72 | |
| LOFTEX | Leone Cream | 24942135 | All Over | - | yes | 1000x1000 | 74 |
| LOFTEX | Leone Metal | 24942132 | All Over | - | yes | 1000x1000 | 74 |
| LOFTEX | Leone Uranus | 24942294 | All Over | - | yes | 1000x1000 | 74 |
| LOFTEX | Lux Blond | 24942167 | Wood | 0 | no | 1333x1000 | 73 |
| LOFTEX | Lux Natural | 24942166 | Wood | 0 | no | 1333x1000 | 73 |
| LOFTEX | Nevada Cream | 24942163 | Tile | 33,3x66,6 | no | 1333x1000 | 74 |

Index

| Range | Design color | Design color code | Design | Size of the design | Alternative laying | Pattern repeat | Page |
|------------------|------------------------|-------------------|----------|---------------------------------------|--------------------|----------------|------|
| LOFTEX | Nevada Light Grey | 24942164 | Tile | 33,3x66,6 | no | 1333x1000 | 74 |
| LOFTEX | Noma Clear | 24941727 | Wood | 16,6x100 | no | 1000x1000 | 73 |
| LOFTEX | Provence Creme | 24941955 | Tile | 20x20 | no | 1000x1000 | 74 |
| NEROK TEX | Azay Clear | 27982369 | Wood | 10x25 | no | 1000x1000 | 45 |
| NEROK TEX | Azay Light Brown | 27982370 | Wood | 10x25 | no | 1000x1000 | 45 |
| NEROK TEX | Elegant Chestnut | 27982274 | Wood | 20x100 | no | 1333x1000 | 45 |
| NEROK TEX | Elegant Tartufo | 27982269 | Wood | 20x100 | no | 1333x1000 | 45 |
| NEROK TEX | Harlem Blanched Almond | 27982368 | All Over | - | yes | 1000x1000 | 49 |
| NEROK TEX | Harlem Colombe | 27982284 | All Over | - | | | 50 |
| NEROK TEX | Harlem Flanelle | 27982299 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Goblin | 27982281 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Mercury | 27982283 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Mink | 27982285 | All Over | - | yes | 1000x1000 | 50 |
| NEROK TEX | Harlem Mouse Grey | 27982365 | All Over | - | yes | 1000x1000 | 49 |
| NEROK TEX | Harlem Pearl | 27982288 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Powder | 27982287 | All Over | - | yes | 1000x1000 | 49 |
| NEROK TEX | Harlem Slate | 27982282 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Stone | 27982280 | All Over | - | yes | 1000x1000 | 48 |
| NEROK TEX | Harlem Tin | 27982286 | All Over | - | yes | 1000x1000 | 49 |
| NEROK TEX | Sherwood Cappuccino | 27982277 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK TEX | Sherwood Cream | 27982279 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK TEX | Sherwood Fog | 27982275 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK TEX | Sherwood Leather | 27982278 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK TEX | Sherwood Maple | 27982298 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK TEX | Sherwood Nut | 27982276 | Wood | 25x133 | no | 1333x1000 | 46 |
| NEROK 55 COMPACT | Brooklyn Blue | 28122249 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 55 COMPACT | Brooklyn Silver | 28122253 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 55 COMPACT | Chene Light | 28120669 | Wood | 35/31,5/33,5x6,2 | no | 1000x1000 | 97 |
| NEROK 55 COMPACT | Factory White | 28121518 | Wood | 16,6x100 | no | 1000x1000 | 98 |
| NEROK 55 COMPACT | Harbor Blue | 28121893 | Wood | 4,6/5/6/9/11/12x40/44/60/ 78/85/97 | no | 1333x1000 | 98 |
| NEROK 55 COMPACT | Leone Anthracite | 28122133 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 55 COMPACT | Leone Brown | 28122134 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 55 COMPACT | Leone Cream | 28122135 | All Over | - | yes | 2000x1000 | 100 |
| NEROK 55 COMPACT | Leone Metal | 28122132 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 55 COMPACT | Leone Mouse | 28122131 | All Over | - | yes | 2000x1000 | 100 |
| NEROK 55 COMPACT | Newport Clear | 28122244 | Wood | 133,3x20 | no | 1333x1000 | 98 |
| NEROK 55 COMPACT | Newport Natural | 28122245 | Wood | 133,3x20 | no | 1333x1000 | 97 |
| NEROK 55 COMPACT | Noma Kola | 28121451 | Wood | 16,6x100 | no | 1000x1000 | 97 |
| NEROK 55 COMPACT | Noma Miel | 28120476 | Wood | 16,6x100 | no | 1000x1000 | 97 |
| NEROK 55 COMPACT | Oak Select Country | 28122242 | Wood | - | yes | 1000x1000 | 97 |
| NEROK 55 COMPACT | Oak Select Grey | 28121430 | Wood | - | yes | 1000x1000 | 98 |
| NEROK 55 COMPACT | Pixel Anthracite | 28120632 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Black | 28122179 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Clear | 28122175 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 55 COMPACT | Pixel Meadow | 28122181 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Ocean | 28122182 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Paprika | 28122178 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Sand | 28120639 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 55 COMPACT | Pixel Silver | 28120597 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 55 COMPACT | Pixel Taupe | 28122176 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 55 COMPACT | Pixel Vanilla | 28120621 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 55 COMPACT | Shade Anthracite | 28122153 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 55 COMPACT | Shade Grey | 28122152 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 55 COMPACT | Shade Light Grey | 28122151 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 55 COMPACT | Sherwood Blond | 28122013 | Wood | 25x133,3 | no | 1333x1000 | 96 |
| NEROK 55 COMPACT | Sherwood Brown | 28122015 | Wood | 25x133,3 | no | 1333x1000 | 96 |
| NEROK 55 COMPACT | Sherwood Clear | 28122012 | Wood | 25x133,3 | no | 1333x1000 | 96 |
| NEROK 55 COMPACT | Sherwood Grey | 28122017 | Wood | 25x133,3 | no | 1333x1000 | 96 |
| NEROK 55 COMPACT | Timber Cabana | 28120492 | Wood | 16x100 | no | 1000x1000 | 97 |
| NEROK 55 COMPACT | Timber Clear | 28120720 | Wood | 16x100 | no | 1000x1000 | 97 |
| NEROK 55 COMPACT | Timber Grey | 28121751 | Wood | 16x100 | no | 1000x1000 | 97 |
| NEROK 70 COMPACT | Brooklyn Blue | 12372249 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 70 COMPACT | Brooklyn Silver | 12372253 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 70 COMPACT | Chene Light | 12370669 | Wood | 35/31,5/33,5x6,2 | no | 1000x1000 | 97 |
| NEROK 70 COMPACT | Factory White | 12371518 | Wood | 16,6x100 | no | 1000x1000 | 98 |
| NEROK 70 COMPACT | Harbor Blue | 12371893 | Wood | 4,6/5/6/9/11/12x40/44/60/ 78/85/97 | no | 1333x1000 | 98 |
| NEROK 70 COMPACT | Leone Anthracite | 12372133 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 70 COMPACT | Leone Brown | 12372134 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 70 COMPACT | Leone Cream | 12372135 | All Over | - | yes | 2000x1000 | 100 |
| NEROK 70 COMPACT | Leone Metal | 12372132 | All Over | - | yes | 2000x1000 | 101 |
| NEROK 70 COMPACT | Leone Mouse | 12372131 | All Over | - | yes | 2000x1000 | 100 |
| NEROK 70 COMPACT | Newport Clear | 12372244 | Wood | 133,3x20 | no | 1333x1000 | 98 |
| NEROK 70 COMPACT | Newport Natural | 12372245 | Wood | 133,3x20 | no | 1333x1000 | 97 |

| Range | Design color | Design color code | Design | Size of the design | Alternative laying | Pattern repeat | Page |
|------------------|--------------------|-------------------|----------|--------------------|--------------------|----------------|------|
| NEROK 70 COMPACT | Noma Kola | 12371451 | Wood | 16,6x100 | no | 1000x1000 | 97 |
| NEROK 70 COMPACT | Noma Miel | 12370476 | Wood | 16,6x100 | no | 1000x1000 | 97 |
| NEROK 70 COMPACT | Oak Select Country | 12372242 | Wood | - | yes | 1000x1000 | 97 |
| NEROK 70 COMPACT | Oak Select Grey | 12371430 | Wood | - | yes | 1000x1000 | 98 |
| NEROK 70 COMPACT | Pixel Anthracite | 12370632 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Black | 12372179 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Clear | 12372175 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 70 COMPACT | Pixel Meadow | 12372181 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Ocean | 12372182 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Paprika | 12372178 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Sand | 12370639 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 70 COMPACT | Pixel Silver | 12370597 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 70 COMPACT | Pixel Taupe | 12372176 | All Over | - | yes | 1000x1000 | 102 |
| NEROK 70 COMPACT | Pixel Vanilla | 12372177 | All Over | - | yes | 1000x1000 | 100 |
| NEROK 70 COMPACT | Shade Anthracite | 12372153 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 70 COMPACT | Shade Grey | 12372152 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 70 COMPACT | Shade Light Grey | 12372151 | All Over | - | yes | 1000x1000 | 99 |
| NEROK 70 COMPACT | Sherwood Blond | 12372013 | Wood | 25x133,3 | no | 1333x1000 | 96 |

Index

| Range | Design color | Design color code | Design | Size of the design | Alternative laying | Pattern repeat | Page |
|----------------|------------------------|-------------------|----------|---------------------------------------|--------------------|----------------|------|
| TEXLINE | Azay Light Grey | 15192308 | Wood | 10x25 | no | 1000x1000 | 56 |
| TEXLINE | Basal White | 15192312 | Tile | 33x66 | no | 1000x1000 | 64 |
| TEXLINE | Comete Light Grey | 15192314 | All Over | - | yes | 1000x1000 | 66 |
| TEXLINE | Comete Medium Grey | 15192315 | All Over | - | yes | 1000x1000 | 66 |
| TEXLINE | Confetti Beige | 15192144 | All Over | - | yes | 1000x1000 | 67 |
| TEXLINE | Empire Blond | 15192082 | Wood | 20x133 | no | 1333x1000 | 60 |
| TEXLINE | Fjord Black | 15192011 | Tile | 33,4x66,7 | no | 1333x1000 | 65 |
| TEXLINE | Fjord Light Grey | 15191949 | Tile | 33,4x66,7 | no | 1333x1000 | 65 |
| TEXLINE | Gastown Mineral | 15192311 | Tile | 16,6x33,3 | no | 1000x1000 | 62 |
| TEXLINE | Harbor Nature | 15191900 | Wood | 4,6/5/6/9/11/12x40/44/60/ 78/85/97 | no | 1333x1000 | 61 |
| TEXLINE | Harbor Pearl | 15191901 | Wood | 4,6/5/6/9/11/12x40/44/60/ 78/85/97 | no | 1333x1000 | 61 |
| TEXLINE | Hudson Blond | 15191887 | Wood | 20x133,3 | no | 1333x1000 | 57 |
| TEXLINE | Hudson Pearl | 15191880 | Wood | 20x133,3 | no | 1333x1000 | 60 |
| TEXLINE | Hudson White | 15191879 | Wood | 20x133,3 | no | 1333x1000 | 58 |
| TEXLINE | Madras Anthracite | 15191735 | All Over | - | yes | 0x0 | 68 |
| TEXLINE | Madras Grey | 15191051 | All Over | - | yes | 0x0 | 68 |
| TEXLINE | Madras Storm | 15191734 | All Over | - | yes | 0x0 | 68 |
| TEXLINE | Noma Blanc | 15190515 | Wood | 16,6x100 | no | 1000x1000 | 58 |
| TEXLINE | Noma Blond | 15191731 | Wood | 16,6x100 | no | 1000x1000 | 55 |
| TEXLINE | Noma Clear | 15191727 | Wood | 16,6x100 | no | 1000x1000 | 57 |
| TEXLINE | Noma Miel | 15190476 | Wood | 16,6x100 | no | 1000x1000 | 55 |
| TEXLINE | Opera Naturel | 15192155 | Wood | - | no | 1000x1000 | 61 |
| TEXLINE | Otelo Beige | 15192306 | Wood | 100x16,6 | no | 2000x1000 | 54 |
| TEXLINE | Otelo Golden | 15192305 | Wood | 100x16,6 | no | 2000x1000 | 54 |
| TEXLINE | Otelo Light Grey | 15192303 | Wood | 100x16,6 | no | 2000x1000 | 54 |
| TEXLINE | Otelo Natural | 15192304 | Wood | 100x16,6 | no | 2000x1000 | 54 |
| TEXLINE | Otelo White | 15192302 | Wood | 100x16,6 | no | 2000x1000 | 54 |
| TEXLINE | Provence Black & White | 15191981 | Tile | 20x20 | no | 1000x1000 | 63 |
| TEXLINE | Provence Creme | 15191955 | Tile | 20x20 | no | 1000x1000 | 63 |
| TEXLINE | Shade Anthracite | 15192153 | All Over | 0 | yes | 1000x1000 | 68 |
| TEXLINE | Shade Grey | 15192152 | All Over | 0 | yes | 1000x1000 | 68 |
| TEXLINE | Shade Light Grey | 15192151 | All Over | 0 | yes | 1000x1000 | 68 |
| TEXLINE | Shade White | 15192150 | All Over | 0 | yes | 1000x1000 | 68 |
| TEXLINE | Sherwood Blond | 15192013 | Wood | 25x133 | no | 1333x1000 | 55 |
| TEXLINE | Sherwood Brown | 15192015 | Wood | 25x133 | no | 1333x1000 | 55 |
| TEXLINE | Sherwood Clear | 15192012 | Wood | 25x133 | no | 1333x1000 | 58 |
| TEXLINE | Sherwood Dark | 15192014 | Wood | 25x133 | no | 1333x1000 | 59 |
| TEXLINE | Sherwood Grey | 15192017 | Wood | 25x133 | no | 1333x1000 | 60 |
| TEXLINE | Sherwood White | 15192137 | Wood | 25x133 | no | 1333x1000 | 58 |
| TEXLINE | Terrazino Mineral | 15192235 | All Over | - | yes | 1000x1000 | 67 |
| TEXLINE | Timber Classic | 15191736 | Wood | 16x100 | no | 1000x1000 | 57 |
| TEXLINE | Timber Grey | 15191751 | Wood | 16x100 | no | 1000x1000 | 60 |
| TEXLINE | Timber Light | 15191749 | Wood | 16x100 | no | 1000x1000 | 57 |
| TEXLINE | Timber Natural | 15191740 | Wood | 16x100 | no | 1000x1000 | 57 |
| TEXLINE NATURE | Confetti Beige | 1894 2144 | All Over | - | yes | 1000x1000 | 26 |
| TEXLINE NATURE | Etna Light | 18942396 | Tile | 50x50 | yes | 2000x1000 | 26 |
| TEXLINE NATURE | Forest Birch | 18942384 | Wood | 20x133,3 | no | 1333x2000 | 23 |
| TEXLINE NATURE | Forest Cream | 18942394 | Wood | 20x133,3 | no | 1333x2000 | 23 |
| TEXLINE NATURE | Forest Gold | 18942383 | Wood | 20x133,3 | no | 1333x2000 | 23 |
| TEXLINE NATURE | Forest Honey | 18942385 | Wood | 20x133,3 | no | 1333x2000 | 23 |
| TEXLINE NATURE | Forest Panga | 18942386 | Wood | 20x133,3 | no | 1333x2000 | 23 |
| TEXLINE NATURE | Hexa Cream | 18942381 | Tile | 20x20 | yes | 1000x1000 | 26 |
| TEXLINE NATURE | Konkret Dove | 18942389 | All Over | - | yes | 1000x1000 | 27 |
| TEXLINE NATURE | Konkret Melt | 18942245 | All Over | - | yes | 1000x1000 | 27 |
| TEXLINE NATURE | Leone Charcoal | 18942380 | All Over | - | yes | 2000x1000 | 29 |
| TEXLINE NATURE | Leone Desert | 18942378 | All Over | - | yes | 2000x1000 | 29 |
| TEXLINE NATURE | Leone Greystone | 18942379 | All Over | - | yes | 2000x1000 | 29 |
| TEXLINE NATURE | Lodge Almond | 18942371 | Wood | 5,5x100 | no | 1000x1000 | 24 |
| TEXLINE NATURE | Lodge Wenge | 18942372 | Wood | 5,5x100 | no | 1000x1000 | 24 |
| TEXLINE NATURE | Madras Storm | 1894 1734 | All Over | - | yes | 1000x1000 | 27 |
| TEXLINE NATURE | Noma Blanc | 1894 0515 | Wood | 16,6x100 | no | 1000x1000 | 24 |
| TEXLINE NATURE | Noma Clear | 1894 1727 | Wood | 16,6x100 | no | 1000x1000 | 24 |
| TEXLINE NATURE | Osb Natural | 18942373 | All Over | - | yes | 1000x1000 | 29 |
| TEXLINE NATURE | Sherwood Bloom | 18942395 | Wood | 25x133,3 | no | 1333x1000 | 23 |
| TEXLINE NATURE | Sherwood Cream | 18942279 | Wood | 25x133,3 | no | 1333x1000 | 23 |
| TEXLINE NATURE | Sherwood Nut | 18942276 | Wood | 25x133,3 | no | 1333x1000 | 23 |
| TEXLINE NATURE | Smooth Eucalypto | 18942374 | All Over | - | yes | 1000x1000 | 30 |
| TEXLINE NATURE | Smooth Sand | 18942377 | All Over | - | yes | 1000x1000 | 30 |
| TEXLINE NATURE | Smooth Tearose | 18942375 | All Over | - | yes | 1000x1000 | 30 |
| TEXLINE NATURE | Smooth Tierra | 18942376 | All Over | - | yes | 1000x1000 | 30 |
| TEXLINE NATURE | Woodring Clear | 18942387 | Wood | 16,66xdifferent lengths | no | 2000x1000 | 24 |
| TEXLINE NATURE | Woodring Honey | 18942388 | Wood | 16,66xdifferent lengths | no | 2000x1000 | 24 |

How to care For your Gerflor floor

Safety tips

- Use plastic coasters or felt pads under the feet of furniture and other heavy objects.
- Protect from sources of heat and spills.



Cleaning

Regular cleaning: use a vacuum and a damp mop with a standard, no-rinse detergent solution.

Gerflor recommends using its Power Cleaner for routine cleaning.

Deep cleaning (every 6-12 months): to make your floor shine like new again, use a restorative product.

Gerflor recommends using its Renovator Polish to protect and enhance the look of your floor.

It leaves a matte finish and brightens up colours.

Stubborn stains: use diluted bleach, white spirit, alcohol or lemon juice.

• stains such as tomato sauce, mustard, beet juice, blood, ink and iodine: use diluted bleach, allowing it to sit for several minutes and then rinsing thoroughly.

• rust stains: clean with fabric rust remover and rinse thoroughly.

• marker, pen, grease and glue stains: rub gently with a cloth moistened with white spirit, and rinse thoroughly

Products to avoid: acetone, chlorinated solvents such as trichlorethylene, wax, glaze.

ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: +61 1 800 060 785
New Zealand Tel: + 64 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International
Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

CZECH REPUBLIC & SLOVAKIA: Gerflor CZ s.r.o.
Tel: +420 725 815 902

FINLAND: Gerflor Oy
Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor

Tel: 00 33 4 75 50 68 68 - Fax: 00 33 4 75 50 69 95
e-mail: serviceconso@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerfloril@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (BRAZIL): Gerflor América Latina
Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: info@gerlome.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o.
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com


RUSSIA: Gerflor zao
Tel./Fax: + 7 495 785 23 71
e-mail: gerflorrussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.
Tel: +47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor USA
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com



We care / We act Our Commitments for a Sustainable future



CARBON FOOTPRINT*
-20 % kg
 CO_2 equivalent/m²
between 2020 and 2025



BIOSOURCED CONTENT**
10 % by 2025



RECYCLED CONTENT
30 % by 2025



ADHESIVE FREE***
35 % by 2025



ANNUAL VOLUME RECYCLED
60 000 t by 2025

Gerflor®

* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution